

2-180930-0 ✓ ACTIVE

FASTON | FASTON 250

TE Internal #: 2-180930-0

Insulation Boot, Straight, Polyethylene, Natural, Carton, -25 – 105 °

C [-13 – 221 °F], FASTON 250, Insulation Boots & Sleeves

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Straight**

Compatible Insulation Diameter (Max): **3.7 mm [.145 in]**

Compatible Insulation Diameter Range: **3.7 mm [.145 in]**

Primary Product Material: **Polyethylene**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Boot
---------------------------------------	-----------------

Body Features

Primary Product Material	Polyethylene
--------------------------	--------------

Primary Product Color	Natural
-----------------------	---------

Contact Features

Accepts Terminal Style	Receptacle
------------------------	------------

Terminal Orientation	Straight
----------------------	----------

Dimensions

Product Length	22.5 mm [.885 in]
----------------	-------------------

Compatible Insulation Diameter (Max)	3.7 mm [.145 in]
--------------------------------------	------------------

Compatible Insulation Diameter Range	3.7 mm [.145 in]
--------------------------------------	------------------

Usage Conditions

Operating Temperature Range	-25 – 105 °C [-13 – 221 °F]
-----------------------------	-----------------------------

Industry Standards



UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	20000
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Also in the Series | FASTON 250



Customers Also Bought






TE Part #5-1355730-1
3pos MQS .63 header 90deg




TE Part #1623788-5
SQM5 130R 5% (WIRE)



TE Part #5-1676913-2
YR1 0.1% 255K



TE Part #1747367-1
RECEPTACLE ASSEMBLY 2.5MM
PITCH BATTERY



TE Part #9-1879663-7
H8 1K07 0.1% 15PPM



TE Part #3-1768000-6
LBC-17005

Documents

Product Drawings

250 FASTON HSG.,REC.,1 POS,NATRUAL

English

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_2-180930-0_G1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_2-180930-0_G1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_2-180930-0_G1.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2-180930-0_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-180930-0_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-180930-0_G.3d_stp.zip](#)

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English