


TERMI-FOIL

TE Internal #: 2-329254-4
Barrel, 3 – 6 mm² Wire, 12 – 10 AWG, Tin Plating, Box, Type 1,
TERMI-FOIL, Foil Terminals
[View on TE.com >](#)



Terminals & Splices > Foil Terminals



Foil Terminal Type: **Barrel**
Foil Terminal Body Type: **Type 1**
Accepts Foil Thickness (Max): **.76 mm [.03 in]**
Terminal Plating Material: **Tin**
Packaging Method: **Box**

Features

Body Features

Foil Terminal Body Type	Type 1
-------------------------	--------

Contact Features

Foil Terminal Type	Barrel
Terminal Plating Material	Tin

Termination Features

Accepts Foil Thickness (Max)	.76 mm[.03 in]
------------------------------	----------------

Dimensions

Wire Size	3 – 6 mm ²
-----------	-----------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Packaging Features

Packaging Quantity	5000
Packaging Method	Box



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 58545-1
SOLISTRAND 10-22 DIE ASSY




TE Part # 49935
DAHT SOLIS 22-10 ASSY



TE Part # 68026
DAHT TERMI-FOIL ASSY

Also in the Series | **TERMI-FOIL**



Foil Terminals(23)


Customers Also Bought



TE Part #CAT-HST-BSTS
BSTS/BSTS-FR Heat Shrink Tubing



TE Part #T4171010005-001
M12,REAR MOUNTING,MALE,A,5P,0.2
M WIRE



TE Part #51943
TAB, TERMI-FOIL END TAP TERMINAL



TE Part #53660-4
SPLICE,TERMI-FOIL 8



TE Part #66740-8
TYPE XII FEMALE CONT (L.P.)



TE Part #206425-2
RECEPT ASSY,SZ 17-3,CPC



TE Part #206838-2
RECEPT,SZ 23,CPC



TE Part #3-1423159-6
7012PJSX=RLY,STD,ON,2P,125VDC



TE Part #1423164-5
7022ND=RLY,STD,OFF,2P,48VDC,5

Documents

Product Drawings

TERMINAL,TERMI-FOIL 12-10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-329254-4_AD.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2-329254-4_AD.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-329254-4_AD.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_2-329254-4_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_2-329254-4_G.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_2-329254-4_G.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.