

480115-3 ✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 480115-3

Receptacle Terminal Housing, 2 Position, 7.7 mm [.303 in]
Centerline, Straight, Black, UL 94V-2, Nylon, Cable Mount (Free-
Hanging), FASTIN-FASTON 250

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**

Connector & Housing Type: **Receptacle**

Number of Positions: **2**

Terminal Orientation: **Straight**

UL Flammability Rating: **UL 94V-2**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)



Housing Features

Housing Material	Nylon
Centerline (Pitch)	7.7 mm[.303 in]

Dimensions

Product Length	23.1 mm[.91 in]
----------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 880107-2
HOUSING 8P .110 FASTON



TE Part # 1534690-1
FASTIN FASTON HOUSING 4POS 2,8 MM



TE Part # 170258-2
FF 250 REC 14-12AWG TPBR REREELING



TE Part # 280543-5
FF 250 REC HSG 2P NYLON BLACK



TE Part # 880137-2
3W FASTIN-ON REC. HSG




TE Part # 626213-2
3 CIR FASTIN-ON RECP HSG PRETO



TE Part # 880097-1
2 WAY FASTIN ON HSG



TE Part # 170258-1
FF 250 REC 14-12AWG BR REREELING




TE Part # 480100-1
FF 312 REC HSG 3P NYLON BLACK



TE Part # 521381-1
FF 187 REC HSG 6P NYLON BLACK

Also in the Series | FASTIN-FASTON 250



Crimp Terminal Housings(192)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

Customers Also Bought



TE Part #544720-E
SRCBUG A 2,54 2 2 CSI 163 * K-AD
B500 J



TE Part #2-34113-2
SOLIS R 22-16COMM 22-18MIL 1/4



TE Part #42281-2
FF 250 REC 18-14AWG TPBR



TE Part #66597-1
III+ PIN,18-14,TIN-LEAD,STRIP



TE Part #556137-4
HSG,AMPINNERGY WTW,1 POS,RED




TE Part #1-967627-6
FLACHSTE-GEH2,8 12P



TE Part #1612108-4
025/040 CAVITY PLUG



TE Part #2098557-1
2POS, MCON 1.2 CB REC 2p TL
SEALED



TE Part #2141884-5
TAB A 1.6x0.6 CONTACT CS SWS Ag



TE Part #6-1355512-7
47 WAY ABS CONNECTOR

Documents

Product Drawings

[FF 250 REC HSG 2P NYLON BLACK](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_480115-3_AR.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480115-3_AR.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480115-3_AR.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[FASTIN_FASTON_Product_Line](#)

English

[White Paper: Nylon Discoloration](#)

English

[Product Specifications](#)

[Application Specification](#)

English