

520987-2 ✓ ACTIVE

FASTON | FASTON 250

TE Internal #: 520987-2

Receptacle Terminal Housing, 4 Position, 5.59 mm [.22 in]  
Centerline, Straight, Natural, UL 94V-2, Nylon, Cable Mount (Free-  
Hanging), FASTON 250

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**

Connector & Housing Type: **Receptacle**

Number of Positions: **4**

Terminal Orientation: **Straight**

UL Flammability Rating: **UL 94V-2**

## Features

### Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

### Configuration Features

Number of Positions	4
---------------------	---

### Body Features

Connector & Keying Code	A
Primary Product Color	Natural

### Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

### Mechanical Attachment

Mating Alignment	With
------------------	------



Connector Mounting Type

Cable Mount (Free-Hanging)

### Housing Features

Housing Material

Nylon

Centerline (Pitch)

5.59 mm [.22 in]

### Dimensions

Product Length

22.86 mm [.9 in]

### Usage Conditions

Operating Temperature Range

-40 – 105 °C [-40 – 221 °F]

### Industry Standards

UL Flammability Rating

UL 94V-2

### Packaging Features

Packaging Quantity

1

Packaging Method

Carton

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)  
 Candidate List Declared Against: JUNE 2025 (250)  
 Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2238196-3  
FASTON 250 STD REC STR 18-14TPBR



TE Part # 2238173-3  
250 FASTON,REC.,22-12 AWG,TPBR

## Also in the Series | FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(115)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(412)




Splices(4)


## Customers Also Bought



TE Part #800570-SF  
FN530-12-99




TE Part #3-520107-2  
ULTRA-FAST 250 ASY TAB 16-14 AWG TPBR



TE Part #3-520408-2  
ULTRA-FAST 250 ASY REC 16-14 AWG TPBR



TE Part #770339-1  
03P .093 COMM P&S RECPT .250CL



TE Part #1-1123722-2  
3.96 EP PLUG HSG 2P(NATURAL)



TE Part #1-2008570-5  
5 POS MICRO MNL, SIDE LATCH, N




TE Part #2232724-1  
PTL GROUND TAB CONTACT, 16-19  
AWG, 2X22



TE Part #6-573447-4  
INSULATION CRIMPER



TE Part #1969399-2  
POSITIVE LOCK 250 HOUSING  
RECEPTACLE



TE Part #2076903-1  
CENTER INSULATION CRIMP

## Documents

### Product Drawings

#### 250 FASTON HSG. REC 4P NATURAL

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_520987-2\\_R.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_520987-2\\_R.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_520987-2\\_R.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### FASTON Housings

English

### Agency Approvals

#### UL Report

English

#### UL Report

English



[UL Report](#)

English

[UL Report](#)

English