

7-180984-5 ✓ ACTIVE

FASTON | FASTON 250

TE Internal #: 7-180984-5

Insulation Boot, Flag, PA 66, Black, Bag, -25 – 105 °C [-13 – 221 °F],

FASTON 250, Insulation Boots & Sleeves

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Flag**

Primary Product Material: **PA 66**

Primary Product Color: **Black**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Boot
---------------------------------------	-----------------

Body Features

Primary Product Material	PA 66
--------------------------	-------

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Orientation	Flag
----------------------	------

Usage Conditions

Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	1000
--------------------	------

Packaging Method	Bag
------------------	-----



Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

 <p>TE Part # 881339-3 SLEEVE FOR .250 SRS FASTON TAB</p>	 <p>TE Part # 2-180930-1 250 FASTON HSG., REC., 1 POS, RED</p>	 <p>TE Part # 8-180984-2 250 FASTON BOOT FLAG REC. 1P NATURAL</p>	 <p>TE Part # 180464-1 250 FASTON, FLAG, REC., 14-17AWG, LATON</p>
--	---	--	---

Also in the Series | **FASTON 250**



Compression Connectors(4)



Crimp Terminal Housings(115)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)




Quick Disconnects(412)




Splices(4)


Customers Also Bought



TE Part #5069984005
CGPT-12.7/6.4-9-SP



TE Part #5069814012
CGPT-2.4/1.2-0-SP



TE Part #6-160465-0
250 FASTON REC 18-16 AWG TPBR



TE Part #180429-2
250 FASTON, FLAG, REC., 17-14 AWG, TPBR



TE Part #280050-7
250 FASTON, FLAG, REC., 16-20 AWG, TPPB



TE Part #3-640441-6
06P MTA100 CONN ASSY WHT



TE Part #CAT-D9934-A66A
Receptacle and Tab Housing: 2.5 mm Pitch, 250V



TE Part #1-1827876-3
DYNAMIC 1200D HDR ASSY H 6P XBLACK GOLD



TE Part #2103172-9
Plug Assembly, 250A, MSD

Documents



CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_7-180984-5_AY.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_7-180984-5_AY.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_7-180984-5_AY.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Blocchetto di protezione per capicorda lamellari femmina a bandiera serie .250](#)

[Product Specification](#)