



**FASTIN-FASTON | FASTIN-FASTON 110**

TE Internal #: 925015-1

Receptacle Terminal Housing, 3 Position, 5 mm [.196 in] Centerline, Straight, Black, Polyamide, Cable Mount (Free-Hanging), FASTIN-FASTON 110

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**

Connector & Housing Type: **Receptacle**

Number of Positions: **3**

Terminal Orientation: **Straight**

Primary Product Color: **Black**

**Features**

**Product Type Features**

Sealable	No
Connector & Housing Type	Receptacle

**Configuration Features**

Number of Positions	3
---------------------	---

**Body Features**

Primary Product Color	Black
-----------------------	-------

**Contact Features**

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

**Mechanical Attachment**

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)



### Housing Features

Housing Material	Polyamide
Centerline (Pitch)	5 mm [.196 in]

### Dimensions

Product Length	18 mm [.708 in]
----------------	-----------------

### Usage Conditions

Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]
-----------------------------	-----------------------------

### Packaging Features

Packaging Quantity	6000
--------------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability




#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



Also in the Series | **FASTIN-FASTON 110**





Insertion & Extraction Tools(3)




Quick Disconnects(78)

## Customers Also Bought



TE Part #42400-1  
250 FASTON REC 18-14 AWG BR



TE Part #63896-1  
250 FASTON REC 16-12 AWG BR



TE Part #160655-6  
FF 110 REC 20-15 AWG TPBR




TE Part #170801-4  
FF 110 REC HSG 4P NYLON NATURAL




TE Part #350981-2  
RING 18-14 AWG PTPBR



TE Part #776181-1  
0.040 MULTILOCK RCPT




TE Part #925475-1  
FF 110 REC HSG 3P NYLON NAT



TE Part #1586861-6  
6P PM PLUG VAL-U-LOK PM GW



TE Part #1871415-1  
AMPSEAL16,CAP ASSY,8P-A,B/R TYPE,  
RWDS,



TE Part #2176081-1  
EP 1W (S) 10R 5%

## Documents

### Product Drawings

[FF 110 REC HSG 3P NYLON BLACK](#)

English

### CAD Files

[3D PDF](#)

[3D](#)

### Customer View Model

[ENG\\_CVM\\_CVM\\_925015-1\\_E.2d\\_dxf.zip](#)



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_925015-1\\_E.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_925015-1\\_E.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

[White Paper: Nylon Discoloration](#)

English

---

**Product Specifications**

[Application Specification](#)

English

---

**Agency Approvals**

[UL Report](#)

English