



TE Internal #: 925667-2  
 Pin Terminal, 22 – 18 AWG, .3 – .82 mm<sup>2</sup> Wire, 642 – 1624 CMA,  
 10.9 mm [.43 in] Length, Open Barrel, Pre-Tin Plating, Reel, Discrete  
 Wire

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Pin Terminal**

Compatible Insulation Diameter Range: 2 – 2.5 mm, 2.5 mm [.079 – .098 in, .098 in ]

Wire Size: 642 – 1624 CMA

## Features

### Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

### Contact Features

Crimp Wire Terminal Type	Pin Terminal
Barrel Type	Open
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

### Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

### Dimensions

Compatible Insulation Diameter Range	2 – 2.5 mm, 2.5 mm [.079 – .098 in][.098 in]
Wire Size	642 – 1624 CMA
Barrel Inside Diameter	1.05 mm [.041 in]
Terminal Material Thickness	.33 mm [.013 in]



Overall Product Length	10.9 mm [.43 in]
------------------------	------------------

### Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

### Packaging Features

Packaging Quantity	15000
--------------------	-------

Packaging Method	Reel
------------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



## Customers Also Bought



## Documents

### Product Drawings

AM WIRE PIN 22-18 .013 PTPB

English

### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_925667-2\_G.2d\_dxf.zip

925667-2

Pin Terminal, 22 – 18 AWG, .3 – .82 mm<sup>2</sup> Wire, 642 – 1624 CMA, 10.9 mm [.43 in]  
Length, Open Barrel, Pre-Tin Plating, Reel, Discrete Wire



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_925667-2\\_G.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_925667-2\\_G.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.