



Automotive Parts > Automotive Terminals > DEUTSCH Connector Solid Contacts



Terminal Type: **Socket**

Wire Size: **14 AWG**

Interface Plating: **Nickel (Ni)**

Primary Locking Feature: **Clean Body**

[All DEUTSCH Connector Solid Contacts \(47\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Clean Body
Sealable	No

Contact Features

Typical Current Rating	13 A
Crimp Type	Indent Crimp
Contact Size	Size 16
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Nickel
Terminal Type	Socket
Interface Plating	Nickel (Ni)
Mating Pin Diameter	1.5 mm [.062 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	14 AWG
Wire Size Search	2 mm ²



Tab Length	19.28 mm[.76 in]
------------	------------------

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Carton
Packaging Quantity	2500

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (.7% in 12555099232) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products




will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

<p>TE Part # DTV06-18SD-C032 PLG, 18P, BRN, N, 7-12 BLOCKED, D</p>	<p>TE Part # AEC16-40SDE PLG, 40P, BLK, E, D</p>	<p>TE Part # AEC16-40SCT PLG, 40P, BLK, T, C</p>	<p>TE Part # AEC16-40SUE-E019 PLG, 40P, BLK, E, XCAP, U</p>
 <p>TE Part # CAT-J41-DDCC DEUTSCH DT Color Connectors</p>	 <p>TE Part # CAT-D487-CH8172 DEUTSCH DT Series Housings & Connectors</p>	 <p>TE Part # 2286014-1 TPA, LED, ASSY</p>	<p>TE Part # 450GA-16N GA-16N048 GAUGE SZ16 GO-NO-GO HDP-400</p>
<p>TE Part # DTV06-18SB-C032 PLG, 18P, BLK, N, 7-12 BLOCKED, B</p>	<p>TE Part # DTV06-18SC-C015 PLG, 18P, GRN, E, C</p>	 <p>TE Part # HDP-400 POWER CRIMPER</p>	 <p>TE Part # JS-16-00 JIFFY SPLICE, Size 16</p>
<p>TE Part # DTV06-18SA-C032 PLG, 18P, GRY, N, 7-12 BLOCKED, A</p>	 <p>TE Part # DT16-15SE-K003 PLG, 15P, BLK, E, E</p>	 <p>TE Part # 1-2303816-3 DT06-3S-TN32, PLG, 3P, BLK, N, SNAPCAP</p>	 <p>TE Part # 2-2303816-3 DT06-3S-TN82, PLG, 3P, BLK, N, SNAPXCAP</p>



Also in the Series | DEUTSCH Common Contact



Customers Also Bought



Documents

Product Drawings

SOC, SOLID, SIZE 16, 14AWG, NI

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_0462-209-16141_99_c-0462-209-16141-99.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0462-209-16141_99_c-0462-209-16141-99.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0462-209-16141_99_c-0462-209-16141-99.3d_stp.zip](#)



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Engineering Report](#)

English