

1-794059-0 ✓ ACTIVE



## MATE-N-LOK

| Mini-Universal MATE-N-LOK, Mini Circular Plastic Connectors

TE Internal #: 1-794059-0

Gold (Au), Pin Contact, 30 – 26 AWG, 600 VAC, 600 VDC, .05 – .15 mm<sup>2</sup> Wire, Crimp, Brass, Power, -55 – 105 °C [-67 – 221 °F], Mini-Universal MATE-N-LOK

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Tin**

Operating Voltage: **600 VDC**

### Features

#### Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

#### Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

#### Contact Features

Contact Type	Pin
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Base Material	Brass
Contact Current Rating (Max)	9.5 A
Mating Pin Diameter	1 mm [.039 in]
Contact Mating Area Plating Material Thickness	.76 µm [30 µin]
Wire Contact Termination Area Plating Thickness	2.54 µm [100 µin]
Wire Contact Termination Area Plating Material Finish	Matte



Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

### Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

Wire Size	.05 – .15 mm <sup>2</sup>
Compatible Insulation Diameter Range	.89 – 1.27 mm[.035 – .05 in]

### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Identification Marking

Contact Color Code	Black
--------------------	-------

### Industry Standards

Compatible With Agency/Standards Products	CSA, UL
UL Flammability Rating	UL 94V-0

### Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)



Candidate List Declared Against: JUNE 2025 (250)  
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts

 <p>TE Part # 1-172340-4 MINI UNIVERSAL M-N-L PLUG 9P</p>	 <p>TE Part # 794894-4 02P MINI UMNL PLUGS WIRE HOLES</p>	 <p>TE Part # 1445824-1 REC,11-5,FLNG MT,SM INS,STD KE</p>	 <p>TE Part # 172234-1 3P MINI UNIVERSAL MATE-N-LOK CAP HOUSING</p>
 <p>TE Part # 189727-1 EXTRACTION TOOL</p>	 <p>TE Part # 172334-1 MINI UMNL CAP HOUSING 15P</p>	 <p>TE Part # 1-172157-9 2CIR MINI U-M-N-L CAP BLCK</p>	 <p>TE Part # 1-172163-9 MINI UNIVERSAL M-N-L CAP 15P</p>



Also in the Series | **Mini-Universal MATE-N-LOK**





Wire-to-Board Headers & Receptacles (93)

### Also in the Series | Mini Circular Plastic Connectors



Circular Power Connectors(40)



Connector Contacts(20)



Power Contacts(20)

### Customers Also Bought




TE Part #66106-8  
III+ PIN,26-24,30AU/FL,STRIP




TE Part #208491-1  
CMC RECEPTACLE ASSY,SIZE 22




TE Part #643411-1  
02P UMNL HDR ASSY POL




TE Part #CAT-104MTA-PVSHH  
Polyester Vertical PCB Header: 2.54 mm, Shrouded, MTA 100



TE Part #7-1377174-7  
SMP 0-0165619-2



TE Part #Y65063-20C1000000  
MODULE ASSY



TE Part #1337771-1  
50 OHM COAX BNC STR PLUG STR P

### Documents

[Product Drawings](#)  
[MINI UMNL PIN L/P LF](#)

English

[CAD Files](#)  
[3D PDF](#)

English



**Customer View Model**

[ENG\\_CVM\\_1-794059-0\\_E1.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-794059-0\\_E1.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-794059-0\\_E1.2d\\_dxf.zip](#)

English

**3D PDF**

3D

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-794059-0\\_C.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-794059-0\\_C.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-794059-0\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

[AMP Circular Connectors for Commercial Signal & Power Applications Continued](#)

English

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

---

**Product Specifications**

[Application Specification](#)

English

---

**Instruction Sheets**

[Instruction Sheet \(U.S.\)](#)

English