



Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: **Pin**
Wire Size: **14 – 12 AWG**
Interface Plating: **Nickel (Ni)**
Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(56\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	25 A
Crimp Type	F-Crimp
Contact Size	Size 12
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Pin
Interface Plating	Nickel (Ni)
Mating Pin Diameter	2.4 mm[.094 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.9 – 4.5 mm[.113 – .176 in]
Wire Size	14 – 12 AWG
Wire Size Search	2 mm², 3 mm², 4 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	2500

Other

Customer Preferred Contact	Yes
Terminal Transmits	25 – 40 A (Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

			
TE Part # CAT-H396-CH8172 DEUTSCH HDP20 Housings	TE Part # 2266125-2 OCEAN-2.0-APPLICATOR-S-117F134O-RSA	TE Part # 2389167-1 SDE F DEUTSCH (SIZE 12) 3.0-4.0mm2 ASSY	TE Part # 1062-12-0166 SOC, SF, SIZE 12, 12-14, NI/SN
			
TE Part # CAT-D781-CH8172 DEUTSCH DRB Housings	TE Part # CAT-H3930-CH8172 DEUTSCH HD30 Housings	TE Part # 2266126-2 OCEAN_2.0-APPLICATOR-S-117F114O-RSA	TE Part # 2389168-1 SDE F DEUTSCH (SIZE 12) 2.0-2.5mm2 ASSY
			
TE Part # 2266125-1 OCEAN-2.0-APPLICATOR-S-117F134O-RSM	TE Part # 2266124-1 OCEAN_2.0-Applicator-S-117F156O-RSM	TE Part # CAT-D486-CH8172 DEUTSCH DTP Housings	TE Part # DRCP24-86PA REC, 86P, BLK, 12/20, A
			
TE Part # JS-12-00 JIFFY SPLICE, size 12	TE Part # 7-2266124-8 OCEAN_2.0-CONVERSIONKIT-DEUTSCH-117F156O	TE Part # 2301337-1 HDP24-24-91PE-P064, REC, 9P, E,8/12 /16,P	TE Part # 2266124-2 OCEAN_2.0-Applicator-S-117F156O-RSA





TE Part # CAT-D799-CH8172
[DEUTSCH DRC Housings](#)



KIT
TE Part # 7-2266126-8
[OCEAN_2.0_CONVERSIONKIT_DEUTSCH-117F114O](#)




KIT
TE Part # 7-2266125-7
[OCEAN_2.0_SPARE_PART_KIT-117F134O](#)



TE Part # 2389168-2
[SDE F DEUTSCH \(12\) 2.0-2.5mm2 DIE SET](#)

Also in the Series

DEUTSCH Common Contact



[Automotive Terminals\(154\)](#)



[Insertion & Extraction Tools\(8\)](#)



[Other Automotive Connector Accessories\(1\)](#)

Customers Also Bought



TE Part #CAT-D48-SFT273
[DEUTSCH Connector Stamped and Formed Contacts - Reel](#)



TE Part #EK5194-000
[ES2000-NO.6-H2-0-39MM](#)



TE Part #WP-2P
[WEDGE LOCK, 2P, REC, ORG, DTP](#)



TE Part #DTP06-4S
[PLG, 4P, GRY, N](#)



TE Part #8-35115-1
[SPLICE,N CE 22-14](#)



TE Part #2310344-1
[1062-12-0166](#)



TE Part #2310361-1
[1062-16-0122](#)

Documents

Product Drawings

PIN, SF, SIZE 12, 12-14, NI/SN

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1060-12-0166_K_c-1060-12-0166-k.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-12-0166_K_c-1060-12-0166-k.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-12-0166_K_c-1060-12-0166-k.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English