



DEUTSCH | DEUTSCH Common Contact

TE Internal #: 1060-14-0144

Pin Terminal, 18 – 14 AWG, .75 – 2 mm² Wire, Gold (Au), 1.5 mm [.062 in] Pin Diameter, Family Seal or Unsealed, DEUTSCH Common Contact

[View on TE.com >](#)

Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: **Pin**

Wire Size: **18 – 14 AWG**

Interface Plating: **Gold (Au)**

Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(56\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	13 A
Crimp Type	F-Crimp
Contact Size	Size 16
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Pin
Interface Plating	Gold (Au)
Mating Pin Diameter	1.5 mm[.062 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.4 – 3.8 mm [.095 – .15 in]
Wire Size	18 – 14 AWG
Wire Size Search	.75 mm ² , 1 mm ² , 1.5 mm ² , 2 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	150 °C [302 °F]
Operating Temperature Range	-55 – 150 °C [-67 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	3200

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # DTV02-18PD-P055
REC, 18P, BRN, N, FLANGE, NO
INSERTS, D



TE Part # 2301337-1
HDP24-24-91PE-P064, REC, 9P, E,8/12
/16,P



TE Part # CAT-J41-DDFRC
DEUTSCH DT Flange Receptacle
Connector



TE Part # 5-2266101-1
OCEAN_2.0_APPLICATION-S-
090F1100-RSM



TE Part # CAT-D799-CH8172
DEUTSCH DRC Housings



TE Part # DTV02-18PA-C015
REC, 18P, GRY, E, FLANGE, A



TE Part # DTV02-18PB
REC, 18P, BLK, N, FLANGE, B



TE Part # 7-2266100-7
OCEAN_2.0_SPARE_PART_KIT-
090F126O



TE Part # DTV02-18PC-P055
REC, 18P, GRN, N, FLANGE, NO
INSERTS, C



TE Part # CAT-D487-CH8172
DEUTSCH DT Series Housings &
Connectors



TE Part # CAT-J41-DDCC
DEUTSCH DT Color Connectors



TE Part # 2266100-2
OCEAN_2.0_APPLICATION-S-
090F126O-RSA



TE Part # 2266101-1
OCEAN_2.0_APPLICATION-S-
090F1100-RSM



TE Part # 2266100-1
OCEAN_2.0_APPLICATION-S-
090F126O-RSM



TE Part # AEC14-40PAB
REC, 40P, BLK, N, AB



TE Part # AEC14-40PD
REC, 40P, BLK, N, D



KIT

REPRESENTATION ONLY

TE Part # 7-2266100-8
OCEAN_2_0_CONVERSIONKIT_DEUTSCH-090F126O



TE Part # DTV02-18PB-C032
REC, 18P, BLK, N, FLANGE, 7-12 BLOCK, B



TE Part # DTV02-18PA
REC, 18P, GRY, N, FLANGE, A



TE Part # DTV02-18PC-C032
REC, 18P, GRN, N, FLANGE, 7-12 BLOCK, C

Also in the Series | **DEUTSCH Common Contact**



Automotive Terminals(154)



Insertion & Extraction Tools(8)




Other Automotive Connector Accessories(1)


Customers Also Bought




TE Part #TAA756A5501-001
M12A5-MS-FR-PUR-0.5M



TE Part #1586765-8
8P RCPT VAL-U-LOK GW



TE Part #7-2176380-3
RQ 0805 6K49 0.1% 10PPM 5K RL



TE Part #2-2176528-3
3503G 2B 10K 1% 5K RL



TE Part #2325098-2
MNTG CLIP,ENETSEAL PLUS



TE Part #2325106-1
ADAPTER,2POS,1.2X0.6,PIN HSG ASSY



TE Part #1-5050871-9
SOCKET,MIN-SPR W/H SN-AU SER-5



TE Part #015399000006-M
PRW-1500-10001-001
WESTINGHOUSE P/N 874C

TE Part #03560156-000
LVDT XS-D3 5000 WESTINGHOUSE

TE Part #015399000004-M
PRW-1500-10000-004
WESTINGHOUSE P/N 871C



Documents

Product Drawings

[PIN, SF, SIZE 16, 14-18, AU/SN](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1060-14-0144_L.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-14-0144_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-14-0144_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English