




Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: Pin

Wire Size: 22 – 16 AWG

Interface Plating: Gold (Au)

Primary Locking Feature: Integrated in Housing

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(56\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Contact Size	Size 20
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Pin
Interface Plating	Gold (Au)



Mating Pin Diameter	1 mm[.04 in]
---------------------	--------------

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	1.9 – 3.2 mm[.075 – .125 in]
Wire Size	22 – 16 AWG
Wire Size Search	.35 mm², .5 mm², .75 mm², 1 mm², 1.5 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability


Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # DTM04-08PC-EE04 REC, 8P, BLK, N, HIGH TEMP, C	 TE Part # DTM04-12PB-E005 REC, 12P, BLK, N, CAP, B	 TE Part # DTM04-08PC-E004 REC, 8P, BLK, N, C	 TE Part # DTM04-08PC-E005 REC, 8P, BLK, N, CAP, C
 TE Part # DTM04-08PB-E003 REC, 8P, BLK, N, CAP, B	 TE Part # YDTM04-08PD-L02500 REC, 8P, BRN, N, FLANGE, D	 TE Part # 5-2266116-2 OCEAN_2.0_Applicator-S-069F110O-RSA	 TE Part # 1-2445860-3 36POS,HYBRID,PIN HSG ASSY,SLD, COD C
 TE Part # CAT-D799-CH8172 DEUTSCH DRC Housings	 TE Part # 2266116-1 OCEAN_2.0_Applicator-S-069F110O-RSM	 TE Part # DTM04-12PB-E003 REC, 12P, BLK, N, CAP, B	 TE Part # DTM04-12PD-L012 REC, 12P, BRN, N, FLANGE, D



TE Part # 2445860-3
36POS, HYBRID, PIN HSG ASSY, SLD, COD C



TE Part # 2445860-4
36POS, HYBRID, PIN HSG ASSY, SLD, COD D



TE Part # DTM04-12PC-EE04
REC, 12P, BLK, N, HIGH TEMP, C



TE Part # YDTM04-08PA-L02500
REC, 8P, GRY, N, FLANGE, A



TE Part # 5-2266116-1
OCEAN_2.0_Applicator-S-069F1100-RSM



TE Part # DTM04-08PD-E005
REC, 8P, BLK, N, CAP, D




TE Part # DTM04-08PD-EE04
REC, 8P, BLK, N, HIGH TEMP, D



TE Part # DTM04-12PC-E003
REC, 12P, GRN, N, CAP, C

Also in the Series | **DEUTSCH Common Contact**



Automotive Terminals(154)




Insertion & Extraction Tools(8)



Other Automotive Connector Accessories(1)

Customers Also Bought




TE Part #063725P078
ES2000-NO.2-B9-0-38MM



TE Part #CAT-D48-SFT273
DEUTSCH Connector Stamped and Formed Contacts - Reel




TE Part #322242
TERMINAL, SOLIS R 12-10 3/8




TE Part #927854-1
PL 250 REC TERMINAL 17-13 AWG BR



TE Part #7-1437622-3
KNS501A1/8=KNOB ALUM W/SKIRT 1



TE Part #8-2176311-1
RP 1E 0.1W 7K87 0.1% 25PPM 1K RL



TE Part #2-2176554-5
3430 A2 1% 9R1 150ppm 1k RL



TE Part #5353928-1
Std USB Type A, R/A, SMT, Offset, Panel



Documents

Product Drawings

PIN, SF, SIZE 20, 16-22, AU/SN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1060-20-0144_J_c-1060-20-0144-j.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1060-20-0144_J_c-1060-20-0144-j.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1060-20-0144_J_c-1060-20-0144-j.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English