



DEUTSCH | DEUTSCH Common Contact

TE Internal #: 1060-20-0244

Pin Terminal, 22 – 16 AWG, .35 – 1.5 mm² Wire, Gold (Au), 1 mm [.04 in] Pin Diameter, Family Seal or Unsealed, DEUTSCH Common Contact

[View on TE.com >](#)

Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: **Pin**

Wire Size: **22 – 16 AWG**

Interface Plating: **Gold (Au)**

Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(56\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Contact Size	Size 20
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Pin
Interface Plating	Gold (Au)
Mating Pin Diameter	1 mm [.04 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	1.3 – 2.2 mm [.051 – .085 in]
Wire Size	22 – 16 AWG
Wire Size Search	.35 mm ² , .5 mm ² , .75 mm ² , 1 mm ² , 1.5 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C [257 °F]
Operating Temperature Range	-55 – 150 °C [-67 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 5-2266119-2
OCEAN_2.0_APPLICATOR-S-069F068O-RSA



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # 2266119-2
OCEAN_2.0_APPLICATOR-S-069F068O-RSA



TE Part # CAT-D48-SFT273
DEUTSCH Connector Stamped and Formed Contacts - Reel




TE Part # 2266119-1
OCEAN_2.0_APPLICATOR-S-069F068O-RSM



TE Part # 7-2266119-8
OCEAN_2.0_CONVERSIONKIT_DEUTSCH-069F068O
KIT REPRESENTATION ONLY



TE Part # DTM04-12PA-EE04
REC, 12P, BLK, N, HIGH TEMP, A



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



TE Part # DTMH04-4PC
REC, 4P, BLK, N, HI TEMP, C



TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # DTM04-2P-EP10
REC, 2P, BLK, 120 OHM RESISTOR, AU, B



TE Part # CAT-ST858-CH8172
DEUTSCH Strike Housings



TE Part # DTM04-08PD-E018
REC, 8P, BRN, N, HIGH TEMP, D



TE Part # 5-2266120-2
OCEAN_2.0_APPLICATOR-S-069F0520A-RSA






TE Part # DTM04-08PD-E005
REC, 8P, BLK, N, CAP, D





TE Part # DTM04-08PD-EE04
REC, 8P, BLK, N, HIGH TEMP, D



Also in the Series | **DEUTSCH Common Contact**



Customers Also Bought





Documents

Product Drawings

[PIN, SF, SIZE 20, 16-22, AU/SN](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English