



DEUTSCH | DEUTSCH Common Contact

TE Internal #: 1062-12-0222

Socket Terminal, 10 AWG, 4 – 6 mm² Wire, Nickel (Ni), 2.4 mm [.094 in] Pin Diameter, Family Seal or Unsealed, DEUTSCH Common Contact

[View on TE.com >](#)

Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: **Socket**

Wire Size: **10 AWG**

Interface Plating: **Nickel (Ni)**

Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(56\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	25 A
Crimp Type	F-Crimp
Contact Size	Size 12
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Nickel
Terminal Type	Socket
Interface Plating	Nickel (Ni)
Mating Pin Diameter	2.4 mm [.094 in]

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To Wire

Dimensions

Compatible Insulation Diameter Range	3.6 – 5.2 mm [.14 – .204 in]
Wire Size	10 AWG

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature (Max)	125 °C [257 °F]
Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	2000

Other

Customer Preferred Contact	Yes
Terminal Transmits	25 – 40 A (Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



KIT REPRESENTATION ONLY

TE Part # 7-2266129-8
[OCEAN_2_0_CONVERSIONKIT_DEUTSCH-129F130O](#)



TE Part # 2266128-2
[OCEAN_2_0_Applicator-S-129F160O-RSA](#)



TE Part # CAT-H991-CH8172
[AMPSEAL 16 Hybrid Lever Housings](#)



KIT REPRESENTATION ONLY

TE Part # 7-2266128-7
[OCEAN_2_0_SPARE_PART_KIT-129F160O](#)




KIT REPRESENTATION ONLY

TE Part # 7-2266129-7
[OCEAN_2_0_SPARE_PART_KIT-129F130O](#)



TE Part # 2266129-1
[OCEAN_2_0_Applicator-S-129F130O-RSM](#)



TE Part # 2445859-3
[36POS, HYBRID, SOC HSG ASSY, SLD, COD C](#)



TE Part # 2445859-1
[36POS, HYBRID, SOC HSG ASSY, SLD, COD A](#)



TE Part # CAT-D799-CH8172
[DEUTSCH DRC Housings](#)



KIT REPRESENTATION ONLY


TE Part # 7-2266127-8
[OCEAN_2_0_SPARE_PART_KIT-129F190O](#)



TE Part # 0460-204-12141
[PIN, SOLID, SIZE 12, 12-14AWG, NI](#)



TE Part # CAT-H3910-CH8172
[DEUTSCH HD10 Housings](#)



TE Part # 2445859-2
[36POS, HYBRID, SOC HSG ASSY, SLD, COD B](#)



TE Part # 2266128-1
[OCEAN_2_0_Applicator-S-129F160O-RSM](#)






TE Part # CAT-D48-PCH8172
[DEUTSCH DTHD Housings](#)



TE Part # DRCP28-86SB
[PLG, 86P, BLK, 12/20, B](#)



Also in the Series | DEUTSCH Common Contact



Customers Also Bought



Documents

Product Drawings

SOC, SF, SIZE 12, 10, NI/NI

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1062-12-0222_B_c-1062-12-0222-b.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-12-0222_B_c-1062-12-0222-b.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-12-0222_B_c-1062-12-0222-b.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English