



enetSEAL+ | DEUTSCH Common Contact

TE Internal #: 1062-20-0622

Socket Terminal, 16 – 14 AWG, 1. – 2.5 mm² Wire, Nickel (Ni), 1 mm [.04 in] Pin Diameter, Family Seal or Unsealed, DEUTSCH Common Contact

[View on TE.com >](#)

Automotive Parts > Automotive Terminals > DEUTSCH Connector Stamped and Formed Contacts - Reel



Terminal Type: **Socket**

Wire Size: **16 – 14 AWG**

Interface Plating: **Nickel (Ni)**

Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Connector Stamped and Formed Contacts - Reel \(55\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Contact Size	Size 20
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Nickel
Terminal Type	Socket
Interface Plating	Nickel (Ni)
Mating Pin Diameter	1 mm [.04 in]

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To Wire

Dimensions

Compatible Insulation Diameter Range	1.9 – 3.2 mm [.075 – .125 in]
Wire Size	16 – 14 AWG
Wire Size Search	1 mm ² , 1.5 mm ² , 2.5 mm ²

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature (Max)	125 °C [257 °F]
Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # DRC26-60S09
PLG, 60P, BLK, N, 09



KIT REPRESENTATION ONLY

TE Part # 7-2266121-7
OCEAN_2.0_SPARE_PART_KIT-074F1100



TE Part # 2266123-2
OCEAN_2.0_APPLICATOR-S-074F080F-RSA



TE Part # DRC26-50S10-C027
PLG, 50P, BLK, N, SPECIAL GROMMET, 10



TE Part # DRC26-40SB-PL01
PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, B




TE Part # DRC26-40SD-PL01
PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, D



TE Part # DRC26-60S02
PLG, 60P, BLK, N, 02



TE Part # CAT-D485-CH8172
DEUTSCH DTM Housings



TE Part # DRC26-50S01-C027
PLG, 50P, BLK, N, SPECIAL GROMMET, 01



TE Part # DTT-20-03
CRIMP TOOL



TE Part # DRCP28-86SB
PLG, 86P, BLK, 12/20, B



TE Part # CAT-D48-ST273
DEUTSCH Connector Solid Contacts



TE Part # 2266122-2
OCEAN_2.0_Applicator-S-074F0900A-RSA



KIT REPRESENTATION ONLY


TE Part # 7-2266121-8
OCEAN_2.0_CONVERSIONKIT_DEUTSCH-074F1100




TE Part # DRC26-24SC-P017
PLG, 24P, BLK, N, SS CLIP, A



TE Part # DRC26-24SD-P017
PLG, 24P, BLK, N, SS CLIP, A


TE Part # DRC26-40SC-PL01
PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, C



TE Part # DRC26-50S03-C027
PLG, 50P, BLK, N, SPECIAL GROMMET, 03




TE Part # CAT-D799-CH8172
DEUTSCH DRC Housings



TE Part # DRC26-40SA-PL01
PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, A

Also in the Series | DEUTSCH Common Contact



Automotive Terminals(153)



Insertion & Extraction Tools(8)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #DTM06-2S
PLG, 2P, GRY, N




TE Part #WM-2P
WEDGE LOCK, 2P, REC, ORG, DTM



TE Part #LL01-3AA01
LL01 1/4" NPT 15" CABLE 80C



TE Part #CAT-D48-SFT273
DEUTSCH Connector Stamped and Formed Contacts - Reel



TE Part #103310-3
016 LOPRO HDR RA 15DP



TE Part #2-1823498-1
62POS, MIXED,REC HSG,ASSY, SEALED



TE Part #2834078-2
5.0MM TOP ENTRY MSC 3P_GY



TE Part #8924293003
FLHTC0311-0.35-6

Documents

Product Drawings

SOC, SF, SIZE 20, 14-16, NI/NI

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-20-0622_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English