




MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 170362-4

Tin (Sn), Socket Contact, 22 – 18 AWG, 600 VAC, 600 VDC, .3 – .89 mm<sup>2</sup> Wire, Crimp, Phosphor Bronze, Power, Mini-Universal MATE-N-LOK

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Tin (Sn)**

Wire Contact Termination Area Plating Material: **Pre-Tin**

Operating Voltage: **600 VDC**

**Features**

**Product Type Features**

Discrete Wire Type	Stranded
--------------------	----------

**Electrical Characteristics**

Operating Voltage	600 VDC
-------------------	---------

**Contact Features**

Barrel Type	Open
Contact Type	Socket
Contact Mating Area Plating Material	Tin (Sn)
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	7 A
Mating Pin Diameter	1 mm [.039 in]
Contact Mating Area Plating Material Thickness	.8 μm [31.49 μin]
Wire Contact Termination Area Plating Thickness	.8 μm [31.49 μin]
Wire Contact Termination Area Plating Material Finish	Matte



Contact Orientation	Straight
---------------------	----------

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

### Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

Wire Size	.3 – .89 mm <sup>2</sup>
Compatible Insulation Diameter Range	1.5 – 2.4 mm [.059 – .094 in]

### Usage Conditions

Operating Temperature Range	-20 – 105 °C [-4 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

### Packaging Features

Packaging Quantity	4000
Packaging Method	Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

TE Part # 1-172335-4  
MINI U-M-N-L PLUG 1P YELLOW

TE Part # 1-172336-4  
MINI U-M-N-L PLUG 2P YELLOW

TE Part # 1-794821-9  
8P MINI UMNL PLUG SEALED BLK

TE Part # 2-172168-1  
6 CIR UNIV M-N-L PLUG

TE Part # 1-794895-9  
6P MINI UMNL PLUG SEALED BLK

TE Part # 8-170360-1  
MINI UNIVERSAL MATE N LOK PIN.  
22-18 AWG

TE Part # 8-170362-4  
MINI UNIVERSAL M-N-L SOCKET

TE Part # 1-794894-9  
02P MINI UMNL PLUG SEALED BLK



TE Part # 5-2410766-2  
OCEAN\_2.0\_Applicator-S-062F110F-RSA



TE Part # 5-2410766-1  
OCEAN\_2.0\_Applicator-S-062F110F-RSM






TE Part # 170360-4  
MINI UNIVERSAL M-N-L PIN



TE Part # 172161-1  
9 CIR UNIV M-N-L CAP



Also in the Series | **Mini-Universal MATE-N-LOK**



Customers Also Bought





## Documents

### Product Drawings

#### MINI UNIVERSAL M-N-L SOCKET

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_170362-4\\_N.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_170362-4\\_N.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_170362-4\\_N.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

#### Application Specification

English

#### Crimping of Mini-Universal MATE-N-LOK Contact

Japanese

#### Application Specification

Japanese

### Instruction Sheets

170362-4

Tin (Sn), Socket Contact, 22 – 18 AWG, 600 VAC, 600 VDC, .3 – .89 mm<sup>2</sup> Wire, Crimp, Phosphor Bronze, Power, Mini-Universal MATE-N-LOK



**Instruction Sheet (non U.S.)**

Japanese

**Mini-Universal MATE-N-LOK Connector**

Japanese