

213843-1 ✓ ACTIVE

AMP | AMP POWERBAND, Circular Plastic Connectors Series 5

TE Internal #: 213843-1

Silver (Ag), Socket Contact, 10 – 8 AWG, 600 VAC, 600 VDC, 5 – 8 mm² Wire, Retention Clip Contact Retention, Size 8, Discrete Wire, AMP POWERBAND

[View on TE.com >](#)



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Silver (Ag)**

Wire Contact Termination Area Plating Material: **Silver**

Operating Voltage: **600 VDC**

Features

Product Type Features

Discrete Wire Type	Solid or Stranded
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

Contact Features

Contact Length	30.3 mm[1.193 in]
Barrel Type	Open
Contact Type	Socket
Contact Mating Area Plating Material	Silver (Ag)
Wire Contact Termination Area Plating Material	Silver
Contact Retention Within Housing	With
Contact Size	Size 8

Contact Base Material	Copper
Contact Current Rating (Max)	50 A
Mating Pin Diameter	3.18 mm[.125 in]
Contact Mating Area Plating Material Thickness	5.08 µm[200 µin]
Contact Mating Area Plating Material Finish	Semi-Bright
Wire Contact Termination Area Plating Thickness	1.27 µm[50 µin]
Wire Contact Termination Area Plating Material Finish	Semi-Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Retention Clip
Wire Insulation Support	Without

Dimensions

Wire Size	5 – 8 mm ²
-----------	-----------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1500
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 2836124-2 OCEAN_2.0_Applicator-S-180F-RSA</p>	 <p>TE Part # 206305-1 CPC PLUG ASSEMBLY SIZE 23-37</p>	 <p>TE Part # 206037-1 CPC PLUG ASSEMBLY SIZE 17-16</p>	 <p>TE Part # 206060-1 CPC PLUG ASSEMBLY SIZE 11-4</p>
 <p>TE Part # 206044-1 CPC PLUG ASSEMBLY SIZE 17-14</p>	 <p>TE Part # 206150-1 CPC PLUG ASSEMBLY SIZE 23-37</p>	 <p>TE Part # 206429-1 CPC PLUG ASSY, 11-4, REV SEX</p>	 <p>TE Part # 206708-1 CPC PLUG ASSEMBLY SIZE 13-9</p>



TE Part # 206837-1
CPC PLUG ASSEMBLY SIZE 23-24



TE Part # 788188-1
CPC 17-3 PLUG ASY,REV SEX



TE Part # 197889-1
ANVIL HOLDER



TE Part # 213906-1
CPC PLUG ASY,SRS 6,SZ 17-10



TE Part # 213899-1
CPC SEAL ASSY KIT,SRS 5,17-3



TE Part # 7-2836124-7
OCEAN_2.0_SPARE_PART_KIT-180F



TE Part # 213905-1
CPC PLUG ASY,SERIES 5,SZ 17-3



TE Part # 211399-1
CPC PLUG ASSEMBLY SIZE 13-7



TE Part # 213900-1
CPC SEAL ASSY KIT,SRS 6,17-10




TE Part # 788188-2
CPC 17-3 PLUG ASY,REV SEX




TE Part # 318813-1
EXTRACTION TOOL ASSY


Also in the Series | AMP POWERBAND



Connector Contacts(18)



Insertion & Extraction Tools(1)



Power Contacts(18)

Also in the Series | Circular Plastic Connectors Series 5



Circular Power Connectors(10)




Connector Contacts(18)




Power Contacts(18)


Customers Also Bought



TE Part #63623-1
RCPT AMVAR 250 FAST LIF 016BR



TE Part #81665-2
FLANGE GASKET CPC




TE Part #213845-1
POWERBAND CONT ASSY,SILVER PLT



TE Part #213847-1
POWERBAND CONT ASSY,SILVER PLT




TE Part #213889-2
CPC RECPT SEALED,SIZE 17-3



TE Part #213899-1
CPC SEAL ASSY KIT,SRS 5,17-3



TE Part #342144-1
16-14 F.E.P/G RING TONGUE



TE Part #929986-1
1,5MM SOCK CONTACT



TE Part #4-2176611-1
EP 2W (SS) 47R 5%



TE Part #5555764-1
MJ,LPF,R/A,8P,SMT,BULK PACK

Documents

Product Drawings

[POWERBAND CONT ASSY,SILVER PLT](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_213843-1_H.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_213843-1_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_213843-1_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

Power Contacts

English

[METRIMATE_PIN_SOCKET_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English