

66098-8 ✓ ACTIVE




AMP | AMP Type III+, Circular Plastic Connectors Series 1

TE Internal #: 66098-8

Gold (Au), Pin Contact, 18 – 16 AWG, .8 – 1.4 mm² Wire, Locking Spring Contact Retention, Size 16, Discrete Wire, Crimp, Brass, AMP Type III+

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Tin**

Contact Retention Within Housing: **With**

Contact Retention Type Within Housing: **Locking Spring**

Features

Product Type Features

Discrete Wire Type	Solid or Stranded
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Contact Shape & Form	Round
Contact Length	27.1 mm[1.067 in]
Contact Mating Area Length	9.91 mm[.39 in]
Barrel Type	Open
Contact Type	Pin
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Size	Size 16



Contact Base Material	Brass
Contact Current Rating (Max)	13 A
Mating Pin Diameter	1.57 mm[.062 in]
Contact Mating Area Plating Material Thickness	.38 μm[15 μin]
Wire Contact Termination Area Plating Thickness	1.27 μm[50 μin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Locking Spring
Wire Insulation Support	With

Dimensions

Wire Size	.8 – 1.4 mm ²
Compatible Insulation Diameter Range	2.03 – 2.54 mm[.08 – .1 in]

Usage Conditions

Operating Temperature Range	-55 – 90 °C[-67 – 194 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	4000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 206516-1
CPC PLUG ASSEMBLY SIZE 11-4



TE Part # 213853-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 213849-1
CPC PLUG ASSEMBLY SIZE 17-16



TE Part # 208716-1
CMC PLUG ASSEMBLY, SZ 14



TE Part # 208718-2
CMC PLUG ASSEMBLY, SZ 14-5



TE Part # 200893-2
INSERTION TOOL CONT



TE Part # 211770-2
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 1977878-1
SLD CPC PLUG ASY, 11-4, STD SEX, UV RESIST




TE Part # 796274-1
SLD CPC PLUG ASSY,17-16,STD SX



TE Part # 796188-1
SLD CPC PLUG ASSY,23-24,STD SX



TE Part # 796271-1
SLD CPC PLUG ASSY,17-14,REV SX



TE Part # 796274-2
SLD CPC PLUG ASSY,17-16,STD SX



TE Part # 5-2151023-1
OCEAN_2.0_Applicator-S-080F1200-RSM



TE Part # 7-2266601-7
OC-080F1200-752-CRIMPTOOLINGKIT



TE Part # 1-305183-1
EXTRACT TOOL MATE-N-LOK P



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 213851-1
CPC PLUG ASSEMBLY SIZE 23-24



TE Part # 1977884-1
SLD CPC PLUG ASSY,13-9,STD SEX, UV RESIS



TE Part # 539972-1
EXTRACTION TOOL



TE Part # 58495-2
PROCRIMPER DIE ASSY MULTIMATE

Also in the Series | **AMP Type III+**



Connector Contacts(260)



Insertion & Extraction Tools(4)



Power Contacts(260)

Also in the Series | **Circular Plastic Connectors Series 1**



Circular Power Connectors(211)



Connector Contacts(260)



Power Contacts(260)

Customers Also Bought



TE Part #MAF94415
DIPOL,WCR,SMA 2.4GHZ,2DBI,GD
PLATED



TE Part #ETRA8213
OMNI,PhE,NMO,821-896MHz WHT,
3,100,



TE Part #FG8243
OMNI,FG,824-896MHZ 860MHz,3dBd



TE Part #S9025PRSMF
Panel,RHCP,fixed,SMAF 902-928MHz,
5dBic,f



TE Part #PSQ24495-91NF
Panel,Dband,91CM,NF 2.4-6.0,5dBi,




TE Part #S8655PRSMF
Panel,RHCP,FIXED,SMAF 865-870MHz,
5dBic,



TE Part #B4305CNS
WHIP,MC,CC,430-450MHZ, TUN,5,CH,
NGP,SPRI



TE Part #66253-2
MALE CONTACT ASSY. (STRIP)



TE Part #163081-7
.062 DIA PIN ASSY 3+



TE Part #6-1825136-1
A108SDZQ04

Documents

Product Drawings

III+ PIN,18-16,15AU/FL,STRIP

English

CAD Files

Customer View Model

[ENG_CVM_66098-8_AE.3d_igs.zip](#)

English

Customer View Model



[ENG_CVM_66098-8_AE.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_66098-8_AE.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_66098-8_AP.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_66098-8_AP.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_66098-8_AP.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

[Signal Contacts](#)

English

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

Japanese

[Instruction Sheet \(U.S.\)](#)

English