

66183-1 ✓ ACTIVE

AMP | AMP Type III+, Circular Plastic Connectors Series 1


TE Internal #: 66183-1

Gold (Au), Socket Contact, 26 – 20 AWG, .12 – .5 mm² Wire,
Locking Spring Contact Retention, Size 16, Discrete Wire, Crimp,
Brass, AMP Type III+

[View on TE.com >](#)



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Gold**

Contact Retention Within Housing: **With**

Contact Retention Type Within Housing: **Locking Spring**

Features

Product Type Features

Discrete Wire Type	Solid or Stranded
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Contact Length	20.96 mm[.825 in]
Barrel Type	Open
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Size	Size 16
Contact Base Material	Brass
Contact Current Rating (Max)	13 A

Mating Pin Diameter	1.57 mm[.062 in]
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Mating Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Thickness	.25 μm[10 μin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	.76 μm[30 μin]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Locking Spring
Wire Insulation Support	With

Dimensions

Wire Size	.12 – .5 mm ²
-----------	--------------------------

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	1000
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)



Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1977887-1
PLUG.ASSY,23-37STD SEX THRD AD, UV RESIS

TE Part # 208720-1
PLUG ASSY,SZ 14,CMC

TE Part # 206305-1
CPC PLUG ASSEMBLY SIZE 23-37

TE Part # 211766-1
CPC PLUG ASSEMBLY SIZE 17-9

TE Part # 211772-1
CPC PLUG ASSEMBLY SIZE 23-19




TE Part # 206060-1
CPC PLUG ASSEMBLY SIZE 11-4

TE Part # 206554-1
CPC PLUG ASSEMBLY SIZE 17-16

TE Part # 208470-3
CMC PLUG ASSEMBLY,SZ 28



Also in the Series | **AMP Type III+**



Also in the Series | **Circular Plastic Connectors Series 1**



Circular Power Connectors(211)





Connector Contacts(260)



Power Contacts(260)

Customers Also Bought

TE Part #K1149808
Push button switch TS-221-SW11 908TE Part #66106-8
III+ PIN,26-24,30AU/FL,STRIPTE Part #87230-9
18 MODII HDR DRRA UNSHRD .100TE Part #1-103639-5
16 MTE HDR SRST LATCH .100CLTE Part #208472-1
CMC PLUG ASSEMBLY,SZ 28TE Part #211903-1
CMC DUST CAP ASSM SIZE 22TE Part #3-641190-2
02P MTA100 CONN ASSY RED LFTE Part #1571113-4
PRDDD3-16F-BB000=POWER ROCKERTE Part #9-1614350-1
RN 0603 11R 0.1% 10PPM 1K RLTE Part #6-1879135-8
RN 0603 5R9 0.1% 10PPM 5K RL

Documents

Product Drawings

III+ SKT,SOLDER,30AU,10AU FLAS

English

CAD Files

Customer View Model

ENG_CVM_CVM_66183-1_K.2d_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_66183-1_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_66183-1_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

[Signal Contacts](#)

English

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English

Product Specifications

[Application Specification](#)

English