



AMP | AMP Type III+, Circular Plastic Connectors Series 1

TE Internal #: 66406-4

Precious Metal, Pin Contact, 30 – 26 AWG, .05 – .15 mm² Wire, Locking Lance Contact Retention, Size 16, Crimp, Brass, Power & Signal, AMP Type III+

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Precious Metal**

Wire Contact Termination Area Plating Material: **Tin**

Contact Retention Within Housing: **With**

Contact Retention Type Within Housing: **Locking Lance**

Features

Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

Contact Features

Contact Shape & Form	Round
Barrel Type	Open
Contact Type	Pin
Contact Mating Area Plating Material	Precious Metal
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Size	Size 16
Contact Base Material	Brass
Contact Current Rating (Max)	13 A
Mating Pin Diameter	1.57 mm[.062 in]
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Mating Area Plating Material Finish	Bright



Wire Contact Termination Area Plating Thickness	1.27 µm[50 µin]
Wire Contact Termination Area Plating Material Finish	Matte
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
Wire Insulation Support	With

Dimensions

Wire Size	.05 – .15 mm ²
Compatible Insulation Diameter Range	.36 – .76 mm[.014 – .03 in]

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Identification Marking

Contact Color Code	Brown
--------------------	-------

Industry Standards

Compatible With Agency/Standards Products	CSA, IEC, UL
---	--------------

Packaging Features

Packaging Quantity	1000
Packaging Method	Box & Carton, Loose Piece

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)

Candidate List Declared Against: JUNE 2025 (250)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 211768-1
CPC PLUG ASSEMBLY SIZE 17-9



TE Part # 211400-1
CPC PLUG ASSEMBLY SIZE 13-7



TE Part # 213850-1
CPC PLUG ASSEMBLY SIZE 23-37



TE Part # 206044-1
CPC PLUG ASSEMBLY SIZE 17-14



TE Part # 208718-1
CMC PLUG ASSEMBLY, SZ 14-5



TE Part # 206150-1
CPC PLUG ASSEMBLY SIZE 23-37






TE Part # 208457-1
CMC PLUG ASSEMBLY, SZ 28-24



TE Part # 213848-1
CPC PLUG ASSEMBLY SIZE 23-37



Also in the Series | **AMP Type III+**



Also in the Series | **Circular Plastic Connectors Series 1**



Circular Power Connectors(211)




Connector Contacts(260)



Power Contacts(260)

Customers Also Bought

TE Part #800131-SF
FN378-6-21TE Part #30693
BUDG R 22-16 COMM 22-18 MIL 10TE Part #31265
BUDG R 22-16 COMM 22-18 MIL 8TE Part #66429-4
III+ PIN,30-26,30AU/FL,LPTE Part #5-104506-7
MTE PIN LPTE Part #206036-8
RECEPT,SZ 17-16 CPC,W/INSERTSTE Part #321891
SOLIS R HT 22-16COM22-18MIL 10TE Part #1609133-1
6ESRF-3=F6988TE Part #CAT-C8114-R101
Single Phase Filters, Corcom R Series

Documents

Product Drawings

III+ PIN,30-26,30AU/FL,LP

English

CAD Files

Customer View Model

ENG_CVM_CVM_66406-4_K.2d_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_66406-4_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_66406-4_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

[Signal Contacts](#)

English

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

Japanese

[Instruction Sheet \(U.S.\)](#)

English