




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Mounting**

Connector Hardware Accessory Type: **Frame**

Primary Product Material: **Polycarbonate**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Features

Product Type Features

Hardware Accessory Function	Mounting
Connector Hardware Accessory Type	Frame

Body Features

Primary Product Material	Polycarbonate
--------------------------	---------------

Mechanical Attachment

Thread Size	M4
-------------	----

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	2

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | **HDC HMN**




Connector Contacts(2)



Connector Hardware(16)



Power Contacts(2)



Rectangular Contact Inserts(113)

Customers Also Bought



TE Part #T2071164101-000
H16BP-T4-M DOCKING
FRAME_FLOATING



TE Part #1473571-6
RITS.JUNCTION BOX 2D 6P P/M



TE Part #1-1746741-3
RITS CONN. SOCKET ASSY 3P RED




TE Part #1971003-2
Dynatap Conn. Junction type 24P




TE Part #2013285-1
DYNAMIC D-5 DYNATAP 20P ASSY P
/M FRONT




TE Part #2390402-1
DYNAMIC FRAME CABLE W KEY 2
MODULE




TE Part #2390404-1
DYNAMIC FRAME PANEL W KEY 2
MODULE



TE Part #2260110-1
MINI IO PIERCING CABLE ASSY L500



TE Part #2260110-2
MINI IO PIERCING CABLE ASSY L2000



TE Part #2260110-3
MINI IO PIERCING CABLE ASSY L3000

Documents

Product Drawings

[H16BP-T4-F DOCKING FRAME_FIXED](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_T2071164201-000_A.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_T2071164201-000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_T2071164201-000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HEAVY DUTY CONNECTORS](#)

English

[HEAVY DUTY CONNECTORS](#)

Japanese

Product Specifications

[Application Specification](#)

English