

2484792-1 ✓ ACTIVE




BNC

TE Internal #: 2484792-1

BNC Connector, Plug, 50 ohm, RD 316/U / RG 174/U / RG 188 A/U
Compatible With RF Cable Type, Bayonet, 4 GHz, Cable-to-Cable,
1 Position, BNC

[View on TE.com >](#)

Connectors > RF Connectors > Coax Connectors



RF Interface: **BNC**

RF Connector Style: **Plug**

Impedance: **50 Ω**

Compatible With RF Cable Type: **RD 316/U, RG 174/U, RG 188 A/U**

RF Connector Coupling Mechanism: **Bayonet**

Features

Product Type Features

RF Interface	BNC
RF Connector Style	Plug
Compatible With RF Cable Type	RD 316/U, RG 174/U, RG 188 A/U
Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Body Underplating Material	Copper
Body Material	Zinc Alloy



Body Material Finish	Plated
----------------------	--------

Body Plating Material	Nickel
-----------------------	--------

Contact Features

Outer Contact Plating Material	Gold (Au)
--------------------------------	-----------

Ferrule Plating Material	Nickel
--------------------------	--------

Ferrule Material	Brass
------------------	-------

Crimp Type	Hexagonal Crimping
------------	--------------------

RF Connector Contact Configuration	Captivated
------------------------------------	------------

RF Connector Center Contact Underplating Material	Copper
---	--------

RF Connector Center Contact Plating Material	Gold (Au)
--	-----------

RF Connector Center Contact Material	Brass
--------------------------------------	-------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

RF Connector Coupling Mechanism	Bayonet
---------------------------------	---------

RF Contact Captivation Method	Mechanical
-------------------------------	------------

Housing Features

Body Orientation	Straight
------------------	----------

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Operating Frequency Range	4 GHz
---------------------------	-------

Packaging Features

Packaging Quantity	1
--------------------	---

Packaging Method	Bag
------------------	-----

Other

Dielectric Material	Polyoxymethylene (POM)
---------------------	------------------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.34% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 2503387-1
BNC Jack to Jack Str BHD Hermetic 50 Ohm



TE Part # CONBNC002
BNC Jack 50 Ohm PCB Through Hole



TE Part # 2476057-1
BNC Jack Str PCB Mnt Thru Hole 75 Ohm



TE Part # CONBNC001
BNC Jack 50 Ohm PCB Through Hole



TE Part # CONBNC004
BNC Jack 50 Ohm Panel Mount

Also in the Series | BNC



Coax Connectors(166)



RF Cable Assemblies(25)




RF Terminators(1)

Customers Also Bought



TE Part #4525-SS5A100GP
PRESS XDCR, ANALOG, PSI RANGE



TE Part #801069-SF
EV35-3.0-02-10M



TE Part #843037-000
101A062-3-0



TE Part #89BSD-028BA-A
28 BARA 316L DIGITAL PRESSURE SENSOR



TE Part #RXM-GNSS-TM-T
Module TM L1 GNSS RX RCVR T&R



TE Part #1676165-2
RN 0805 11K 0.1% 10PPM 1KRL



TE Part #1734510-1
MINI USB, TYPE B, R/A, T/H



TE Part #5-2176331-6
CRGP 2512 390K 1%



TE Part #2342832-7
AVC16M FLAT AIO RGB R 500MM/2X3



TE Part #7-6609107-0
PSOS0DS3A=C1182



Documents

Product Drawings

[BNC Plug Str RG174 188A 316 4 GHz 50 Ohm](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2484792-1_1.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2484792-1_1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2484792-1_1.3d_igs.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[rf-connectors-product-extension-flyer-en](#)

English

[test-probe-connector-en-flyer](#)

English

Product Specifications

[Product Specification](#)

English