

KSW 2.5 EL WS 50M

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



KSW marking strips are used to identify multi-pole PCB plug-in connectors. Users can print them individually without being confined to a certain pitch.

- Smudge-proof labelling
- Strips 2.5 mm and 4 mm wide
- Simply stick on - finished
- Optimum adhesion
- PVC-free

General ordering data

Version	KSW, Terminal marker, 2.5 x , Pitch in mm (P): 2.50 Weidmueller, white
Order No.	1812660000
Type	KSW 2.5 EL WS 50M
GTIN (EAN)	4032248296064
Qty.	50 M

KSW 2.5 EL WS 50M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS Conform

Dimensions and weights

Height	2.5 mm	Height (inches)	0.0984 inch
Length	50000 mm	Length (inches)	1968.5 inch
Net weight	15.83 g		

Temperatures

Operating temperature range 150 °C

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption
 REACH SVHC No SVHC above 0.1 wt%

General data

Adhesive	Acrylate	Orientation of print	horizontal and vertical
Number per sheet	20	Type of printing	neutral
Operating temperature range, max.	150 °C	Colour	white
Halogen	No	Length	50000 mm
Basic material	Polyester, PVC-free	Printed characters	without
compatible printer		Operating temperature range	150 °C
Application/manufacturer	Weidmueller	Imprint	Neutral

Device markers

Halogen No

Classifications

ETIM 8.0	EC000761	ETIM 9.0	EC000761
ETIM 10.0	EC000761	ECLASS 14.0	27-28-11-01
ECLASS 15.0	27-28-11-01		

Drawings

