

Data Sheet | Item Number: 231-500
Spacer; for formation of groups; light gray

<https://www.wago.com/231-500>



Color: ■ light gray

Mechanical data

Suitable	for male connectors; for group formation
----------	--

Material data

Note (material data)	Information on material specifications can be found here
Color	light gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.002 MJ
Weight	0.1 g

Commercial data

Product Group	3 (Multi Conn. System)
PU (SPU)	200 (100) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332119924
Customs tariff number	39269097900

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 10.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	1466354

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 231-500 ↓

Documentation


Additional Information			
Technical Section	03.04.2019	pdf 2027.26 KB	↓

CAD/CAE-Data

CAD data
2D/3D Models 231-500 ↓

Installation Notes

Installation



Inserting separators for group formation directly into MCS MIDI Classic Male Headers.
 Group formation using separators means that pole count is reduced by at least one pole.
 Female connectors with integrated end plates and 5/5.08 mm pin spacing are available for group formation without loss of poles. Formation of groups without the loss of any poles is possible without using separators for 7.5/7.62 mm pin spacing.

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com