


## Data Sheet | Item Number: 790-193

U-shaped busbar; Cu 10 mm x 3 mm; for 8 I/O; suitable for 750 Series I/O modules; silver-colored

<https://www.wago.com/790-193>



Color: ■ silver-colored

### Material data

Color	silver-colored
Fire load	0 MJ
Weight	48 g

### Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	25 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454229795
Customs tariff number	74198090990

### Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-46
eCl@ss 9.0	27-14-11-46
ETIM 9.0	EC001522
ETIM 8.0	EC001522
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 790-193



Documentation

Bid Text

790-193	19.02.2019	xml 2.62 KB	
790-193	28.11.2018	doc 23.00 KB	

CAD/CAE-Data

CAD data

2D/3D Models 790-193



CAE data

EPLAN Data Portal 790-193



WSCAD Universe 790-193



ZUKEN Portal 790-193



1 Compatible Products

1.1 Optional Accessories

1.1.1 Shield termination

1.1.1.1 Shield clamping saddles



[Item No.: 790-108](#)

Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm



[Item No.: 790-208](#)

Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm



[Item No.: 790-116](#)

Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm



[Item No.: 790-216](#)

Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm



[Item No.: 790-124](#)

Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm



[Item No.: 790-220](#)

Shield clamping saddle; 30 mm wide; 6 ... 20 mm



[Item No.: 790-140](#)

Shield clamping saddle; diameter of compatible conductor

## Installation Notes



U-shaped (10 x 3) mm copper busbar