




**QSFP/QSFP+**

TE Internal #: 2057183-2

QSFP+, Cage Assembly, Signal, Operating Temperature Range -55 – 105 °C [-67 – 221 °F], 4 Ports, Port Matrix Configuration 1 x 4, Included Lightpipe

[View on TE.com >](#)

Connectors > High Speed Pluggable IO Connectors & Cages



Pluggable I/O Product Type: **Cage Assembly**

Sealable: **No**

Circuit Application: **Signal**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Number of Ports: **4**

**Features**

**Product Type Features**

Cage Type	Ganged
Thermal Accessory Type Included	Heat Sink
Pluggable I/O Product Type	Cage Assembly
Sealable	No
Form Factor	QSFP+

**Configuration Features**

Number of Rear EONs per Port Column	1
Number of Ports	4
Port Matrix Configuration	1 x 4

**Body Features**

Heat Sink Style	Pin
Heat Sink Finish	Anodized Black
Heat Sink Height	6.5 mm [.256 in]
Heat Sink Height Class	SAN



### Contact Features

PCB Contact Termination Area Plating Material	Tin
---	-----

### Termination Features

Termination Method to PCB	Through Hole - Press-Fit
---------------------------	--------------------------

Termination Post & Tail Length	2.05 mm[.081 in]
--------------------------------	------------------

### Housing Features

Cage Material	Nickel Silver
---------------	---------------

### Dimensions

PCB Thickness (Recommended)	1.45 mm[.057 in]
-----------------------------	------------------

### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Pluggable I/O Applications	SFP+ Stacked Belly-to-Belly
----------------------------	-----------------------------

Circuit Application	Signal
---------------------	--------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Method	Box & Tray
------------------	------------

### Other

Included Lightpipe	Yes
--------------------	-----

EMI Containment Feature Type	Customer Applied Gasket
------------------------------	-------------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
--	---



Halogen Content Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 2829040-2  
QSFP IB EDR, 33AWG, 1.0M



TE Part # 1-2053638-6  
C/A, QSFP, 0.5M, P1-P2, UNEQUALIZED



TE Part # CAT-C11-H5011142  
QSFP to QSFP I/O Cable Assembly: 33 AWG



TE Part # 1761987-9  
ReceptacleConnAssm38PosTape/Re



TE Part # 2829040-7  
QSFP IB EDR, 26AWG, 2.0M



TE Part # 1888810-2  
EMI/Dust Cover,XFP And QSFP



TE Part # 2053453-5  
C/A, QSFP TO 4XSFP+, 4.0M




TE Part # 2829040-8  
QSFP IB EDR, 26AWG, 3.0M



TE Part # CAT-C11-H50111  
QSFP-Four SFP+ I/O Cable Assembly 30 AWG




TE Part # 2821033-8  
QSFP TO [4]SFP+, 28G, 1M, 33AWG



TE Part # 2110819-1  
QSFP+ Enh EVERCLEAR PT Conn


### Also in the Series | QSFP/QSFP+



High Speed Pluggable IO Connectors  
& Cages(143)



Pluggable I/O Cable Assemblies(13)



QSFP, QSFP+ & zQSFP+(143)

## Customers Also Bought



TE Part #6-104068-6  
80 SYSTEM 50 HDR DRST SHRD



TE Part #3-111196-3  
80 RCPT SYSTEM 50 30 DPLX



TE Part #1827588-2  
DYNAMIC D1000 REC CONT L AU 0.38  
um L/P



TE Part #1-1903131-6  
DYNAMIC 1200D TAB HSG 12P P/M

## Documents

### Product Drawings

[1x4 QSFP Kit Assy, LP& HS, SAN](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2057183-2\\_E.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2057183-2\\_E.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2057183-2\\_E.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[1773408-1 Pluggable Input/Output Solutions catalog - QSFP section](#)

English

[4-1773455-5 - Quick Reference Guide QSFP/QSFP+ Solutions](#)

English

### Product Specifications

[Application Specification](#)



English