

TE Internal #: 2439034-1

A, Standard USB, 3.1 Gen 2, Receptacle, 9 Position, Top Mount, 1 Port, Vertical, Tape & Reel, Through Hole - Solder, Cable-to-Board

[View on TE.com >](#)



Connectors > Audio & Video Connectors > USB Connectors



USB Type: A

USB Version: 3.1 Gen 2

Connector Profile: Standard

Connector & Housing Type: Receptacle

Number of Ports: 1

Features

Product Type Features

USB Type	A
USB Version	3.1 Gen 2
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Ports	1
Number of Positions	9

Body Features

Connector Profile	Standard
-------------------	----------

Contact Features

Contact Current Rating (Max)	1.8 A
------------------------------	-------

Termination Features

Termination Post & Tail Length	1.95 mm, 2.85 mm
Termination Method to PCB	Through Hole - Solder



Mechanical Attachment

Locking Feature	Without
PCB Mount Alignment Type	Housing Peg
PCB Mount Location	Top Mount
PCB Mount Retention Type	Kinked Legs
Connector Mounting Type	Board Mount

Housing Features

Housing Color	Black
Housing Material	PA 9T
Body Orientation	Vertical
Centerline (Pitch)	2.01 mm[.078 in]

Dimensions

PCB Thickness (Recommended)	1 – 1.6 mm
-----------------------------	------------

Usage Conditions

Soldering Temperature (Max)	260 °C[500 °F]
Mating Cycles (Max)	5000
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Method	Tape & Reel
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



TE Part #T4011008031-000
M8,SCREW, MALE,S,UNSHIELD,3P, GOLD



TE Part #812502-SF
IL13-US1-SVT-3100-183




TE Part #745255-2
SPRING LATCH 2/BAG




TE Part #5-1879208-9
CPF 0402 2K7 0.1% 25PPM 1K RL




TE Part #2108923-4
External Ant., RP-SMA, Wi-Fi 6E(White)




TE Part #1-2176306-2
RP 1E 0.1W 1K5 0.1% 25PPM 5K RL



TE Part #9-2176306-1
RP 1E 0.1W 10K 0.1% 25PPM 5K RL



TE Part #2176307-9
RP 1E 0.1W 15K 0.1% 25PPM 5K RL



TE Part #5207953-3
FEMALE SCREWLOCK, SHORT, ZN



TE Part #5748678-3
2 PC PLST CBL CLMP KIT



Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_2439034-1_1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2439034-1_1.3d_igs.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2439034-1_1.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Vertical-USB-3.2-Gen-2-Product-Flyer](#)

English

Product Specifications

[Product Specification](#)

English

[Product Specification](#)

English