



UMCC4

TE Internal #: 1-2016698-0

UMCC4 to UMCC4 Cable Assembly, .042 m [.148 ft], Black Cable, 9 GHz, 50 ohm, FEP Jacket, 32 AWG, 1.13 mm [.044 in] Diameter, UMCC GEN 4 Plug End A

[View on TE.com >](#)

Cable Assemblies > RF Cable Assemblies



Cable Assembly Type: **UMCC4 to UMCC4**  
 Cable Assembly (End A): **UMCC GEN 4 Plug**  
 Cable Assembly (End B): **UMCC GEN 4 Plug**  
 Cable Assembly Length: **.042 m [.148 ft]**  
 Coax Cable Type: **1.13mm Coax**

**Features**

**Product Type Features**

Cable Assembly Type	UMCC4 to UMCC4
Cable Assembly (End A)	UMCC GEN 4 Plug
Cable Assembly (End B)	UMCC GEN 4 Plug
Coax Cable Type	1.13mm Coax

**Electrical Characteristics**

Impedance	50 Ω
-----------	------

**Body Features**

Jacket Material	FEP
Cable Color	Black

**Dimensions**

Outside Cable Diameter	1.13 mm [.044 in]
Wire Size	32 AWG

**Usage Conditions**

--	--



Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]
-----------------------------	---------------------------

### Operation/Application

Operating Frequency Range	9 GHz
---------------------------	-------

### Other

Cable Assembly Length	.042 m[.148 ft]
-----------------------	-----------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



### Also in the Series | UMCC4



### Customers Also Bought





## Documents

### Product Drawings

[UMCC CA, GEN4-GEN4,1.13,L45MM,BK](#)

English

---

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-2016698-0\\_1.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-2016698-0\\_1.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-2016698-0\\_1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

[Product Specification](#)

English