



zQSFP+/QSFP28

TE Internal #: 2333393-5
QSFP28 to QSFP28 Cable Assembly, 16 Positions, 2 m [6.56 ft], 25 Gb/s, Black Cable, Shielded, 30 AWG, .051 mm² Wire, QSFP28 Plug End A

[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > QSFP28 to QSFP28 Cable Assembly: 30 AWG



Cable Assembly Type: **QSFP28 to QSFP28**
Cable Assembly (End A): **QSFP28 Plug**
Cable Assembly (End B): **QSFP28 Plug**
Wire Size: **.051 mm²**
[All QSFP28 to QSFP28 Cable Assembly: 30 AWG \(6\)](#)

Features

Product Type Features

Cable Assembly Category	High Speed, Industry Standard
Cable Assembly Type	QSFP28 to QSFP28
Cable Assembly (End A)	QSFP28 Plug
Cable Assembly (End B)	QSFP28 Plug
Cable Style	Madison TurboTwin - Round Jacketed

Configuration Features

Number of Positions	16
Number of Pairs	8
Number of Signal Positions	16

Electrical Characteristics

Impedance	100 Ω
-----------	-------

Signal Characteristics

Data Rate	25 Gb/s
-----------	---------



Body Features

Cable Color	Black
Cable Flammability Rating	CL2
Equalized	No

Dimensions

Wire Size	.051 mm²
Outside Cable Diameter	6.2 mm[.244 in]

Operation/Application

Shielded	Yes
Halogen Free	No

Other

Cable Assembly Configuration	Double Ended
Cable Assembly Length	2 m[6.56 ft]

Product Compliance

For compliance documentation, visit the product page on TE.com>








EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (4.5% in 34983907383) TBPH (12% in 26862205067) Pb (.11% in 34983907395) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2314014-1 STRADDLE MOUNT QSFP28, 1X6, RECEPTACLE	 TE Part # 5-2170703-2 CAGE ASSEMBLY, QSFP28 1X1, SPRING	 TE Part # 1-2170704-2 CAGE ASSY, QSFP28 1X1, SPRING, HS	 TE Part # 2-2170703-7 CAGE ASSEMBLY, QSFP28 1X1, SPRING
 TE Part # 2-2170754-5 CAGE ASSY, QSFP28 1X1, GASKET, HS, LP	 TE Part # 2-2170754-6 CAGE ASSY, QSFP28 1X1, GASKET, HS, LP	 TE Part # 2170812-4 CAGE ASSEMBLY, 1X2, QSFP28, GASKET, HS	 TE Part # 2306002-1 STRADDLE MOUNT QSFP28, 1X2, RECEPTACLE
 TE Part # 6-2170705-1 CAGE ASSY, QSFP28 1X1, SPRING, HS, LP	 TE Part # 2170807-3 CAGE ASSY, 1X2, QSFP28, SPRING, QUAD LP	 TE Part # 2170811-5 CAGE ASSEMBLY, 1X2, QSFP28, GASKET	 TE Part # 2-2170814-6 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP
 TE Part # 2-2170814-3 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP	 TE Part # 4-2170814-1 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP	 TE Part # 4-2170814-4 QSFP28, 1X2, CAGE ASSY, GASKET, HS, LP	 TE Part # 2170739-4 QSFP28, 1X3, CAGE ASSY, SPRING, LP



TE Part # 5-2289708-1
QSFP28, 1X3, CAGE ASSY, SPRING, HS, SQLP

TE Part # 2301472-6
CAGE ASSY, QSFP28 1X1, SPRING, CSMID HS

TE Part # 2320645-1
CAGE ASSEMBLY, 1X2, QSFP28, SPRING,HS,8LP

TE Part # 1-2170740-2
QSFP28, 1X3, CAGE ASSY, SPRING, HS

Also in the Series | zQSFP+/QSFP28

Heat Sinks(4)

Pluggable IO Connectors & Cages(394)

QSFP, QSFP+ & zQSPF+(394)

Customers Also Bought

TE Part #3-350819-2
ULTRA-FAST 250 ASY REC 16-14 AWG TPBR

TE Part #1551631-5
1Shield Finger, Loose Piece

TE Part #1-1600960-7
CONT 8-10 AWG PWR, MFBL PLATE

TE Part #1-1600960-8
CONT 8-10 AWG PWR, STD PLATE &

TE Part #1625854-4
1206 PROBE PAD

TE Part #2108693-4
1.1H SPRING FINGER WITH EMBOSS

TE Part #CAT-Q17-N490325
QSFP56 to QSFP56 Cable Assembly: 30 AWG

TE Part #L9000279-01
SMA Jack 50 Ohm .062 PCB Edge Mount

TE Part #2428274-3
QSFP28-QSFP28,AOC 3m,SonyVCSEL, BER 1E-12



Documents

Product Drawings

QSFP 25GIG 30AWG 2 METER

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2333393-5_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2333393-5_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2333393-5_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Product Specification

English