




Heat Shrink Tubing



Tubing Product Type: **Heat Shrink Tubing**

Primary Product Color: **Black**

Wall Type: **Single Wall**

Expanded Inside Diameter (Min): **19.05 mm [.75 in]**

Recovered Inside Diameter (Max): **10.88 mm [.428 in]**

Features

Product Type Features

Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall

Body Features

Material Systems Code	20
Fluid Type	Aviation Fuel, Brake Fluid, Chemicals /Solvents, De-Icing Fluid, Diesel Fuel, Hydraulic Fluid, Lubricating Oil, Water
Primary Product Color	Black
Shrink Ratio	1.75:1
Primary Product Material	Chlorinated Polyolefin
Flexibility	Very Flexible

Dimensions

Recovered Wall Thickness (Nominal)	1.44 mm[.057 in]
Recovered Wall Thickness (Tolerance)	.76 mm[.03 in]
Expanded Inside Diameter (Min)	19.05 mm[.75 in]
Recovered Inside Diameter (Max)	10.88 mm[.428 in]
Tubing Size Range	10.88 – 19.05 mm[.428 – .75 in]

Usage Conditions

Shrink Temperature (Min)	90 °C
--------------------------	-------



Tubing Flammability Type	Flame-Retardant
Operating Temperature Range	-70 – 121 °C[-94 – 249.8 °F]
Recovery Temperature	135 °C

Operation/Application

Mechanical Resistance	Abrasion, Fluids, Mechanical Damage, Strain Relief
-----------------------	--

Product Availability

Applicable Region	Worldwide
-------------------	-----------

Packaging Features

Packaging Method	Spool
------------------	-------

Other

Meets Low Outgassing Requirements	No
Product Source	US

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought



TE Part #807896-000
202D285-4-22-0




TE Part #160892-000
TTVF100WE-100



TE Part #3043434002
NTFR-7/8-0-SP




TE Part #6229024003
NTFR-1-1/4-0-SP



TE Part #CF6640-000
55A6417-22-MST4-9CS2275



TE Part #601038-000
D-602-55



TE Part #5165424002
NTFR-5/8-0-SP



TE Part #1-1469372-1
ATCA GUIDE MODULE RA MALE

TE Part #Y65022-003V0030000
JUNCTION ASSY



TE Part #CP3369-000
TTMS-MP-9.5-9

Documents

Product Drawings

[NTFR-3/4-0-SP](#)

English

Datasheets & Catalog Pages

[raychem-tubing-product-selection-guide](#)

English

[NTFR Pages from 9-1773447-9](#)

English

[1654025_Sec3_NTFR](#)

English

Product Specifications

[Product Specification](#)

NTFR-3/4-0-SP

Heat Shrink Tubing, Black, 1.75:1, Single Wall, Shrinks To 10.88 mm [.428 in],
Chlorinated Polyolefin, 19.05 mm [.75 in] Expanded Inside



English