

**POWERSTRIPPER 16,0****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



- for automatic stripping of individual wires
- stripping of flexible wires according to DIN VDE 0295, Cl. 5
- Partial stripping of insulation, the isolation remains on wire end
- Change of tools not necessary
- Quick and easy setting for the proper cross-section
- Electric drive

**General ordering data**

Version	Tools, Automatic stripper
Order No.	<a href="#">9028480000</a>
Type	POWERSTRIPPER 16,0
GTIN (EAN)	4032248064632
Qty.	1 items

**POWERSTRIPPER 16,0**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Approvals**

Approvals



ROHS Conform

**Dimensions and weights**

Depth	295 mm	Depth (inches)	11.6142 inch
Height	230 mm	Height (inches)	9.0551 inch
Width	190 mm	Width (inches)	7.4803 inch
Net weight	8800 g		

**Environmental Product Compliance**

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	6c, 7a, 7cl
REACH SVHC	Lead 7439-92-1
SCIP	d2df479e-2b79-4e98-adc7-b03577df98ae

**Automatic stripping**

Stripping range	2.5 - 16 mm <sup>2</sup> (~AWG 14-6)	
Conductor length, min.	22 mm + stripping length	
Connection values	46 VA	
Drive	electrical	
Pulse time	approx. 1.5 s	
Pull-off length	3-20 mm	
Electrical connection	100-240 V / 50/60 Hz / 100 VA	
Outer diameter of conductor	max.	8 mm

**Classifications**

ETIM 6.0	EC002778	ETIM 7.0	EC002778
ETIM 8.0	EC002778	ETIM 9.0	EC002778
ETIM 10.0	EC002778	ECLASS 9.0	17-13-01-01
ECLASS 9.1	17-13-01-02	ECLASS 10.0	17-13-01-02
ECLASS 11.0	17-13-01-01	ECLASS 12.0	17-13-01-01
ECLASS 13.0	17-13-01-01	ECLASS 14.0	17-13-01-01
ECLASS 15.0	17-13-01-01		

## POWERSTRIPPER 16,0

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### Accessories / replacement parts



- for automatic stripping of individual wires
- stripping of flexible wires according to DIN VDE 0295, Cl. 5
- Partial stripping of insulation, the isolation remains on wire end
- Change of tools not necessary
- Quick and easy setting for the proper cross-section
- Electric drive

### General ordering data

Type	AIMESA V	Version	
Order No.	<a href="#">9050180000</a>	Accessories, Set of cutters	
GTIN (EAN)	4008190343378		
Qty.	1 ST		