

Camelion®

Battery and Charger

Primary Battery
Rechargeable Battery
Battery Charger
Micro Battery




Product Catalogue 2023

www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- Primary Battery
- Micro Battery
- Rechargeable Battery
- Battery Charger
- Displays & Merchandiser

Content

Primary Battery

Ultra Alkaline	5
Digi Alkaline	6
Plus Alkaline	7
Super Heavy Duty (Blue)	12
Super Heavy Duty (Green)	15
Lithium P7	18
9V Lithium	18
Photo Lithium	19

Micro Battery

Lithium	20
Alkaline	20
Hearing Aid Zinc Air	21
Battery Tester	22
Battery Selection Chart	23

Rechargeable Battery

AlwaysReady	25
Ni-MH	29
ICR18650 Lithium	30

Battery Charger

BC-0907N	32	BC-1058	37
BC-0905A / BC-0905T	32	BC-1043MC	37
BC-1010B	33	BC-1046	38
BC-1020B	33	LBC-1002F/ BC-1002T	38
BC-1091	34	LBC-305	39
BC-1009	34	LBC-316	39
BC-0904SM	35	LBC-321	40
BC-0906SM	35	LBC-322	40
BC-0806T	36		
BC-1057F / BC-1057T	36		

Battery Charging Time Table	41
------------------------------------	-----------

Displays & Merchandiser

42



Primary Battery

Ultra Alkaline Battery

Camelion Ultra Alkaline Batteries are engineered to provide maximum power for premium digital devices such as digital and instant cameras, blood pressure monitors, game controllers, drones, and more that need precise and ever-demanding energy. It is our #1 best performing alkaline battery.



LR6-BP4UT

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2UT

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4UT

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2UT


1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

Digi Alkaline Battery

Camelion Digi Alkaline Batteries are perfect for many electronic devices, such as cameras, smart locks, smart sensors and boomboxes. Powered by innovative technology, these batteries offer longer lifespan for your high-drain devices.



LR20-BP2DG

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2DG

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4DG

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2DG

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4DG

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6LR61-BP1DG

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Plus Alkaline Battery

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.



LR20-BP2

1.5V D

Packaging		Gross Weight: 15.0 kg
Blister	2 pcs/pack	
Inner Box	6 packs/box	
Outer Carton	48 packs/carton	Volume: 0.0157 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2

1.5V C

Packaging		Gross Weight: 14.3 kg
Blister	2 pcs/pack	
Inner Box	6 packs/box	
Outer Carton	96 packs/carton	Volume: 0.0227 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4

1.5V AA

Packaging		Gross Weight: 15.22 kg
Blister	4 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	144 packs/carton	Volume: 0.0185 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2

1.5V AA

Packaging		Gross Weight: 12.6 kg
Blister	2 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	216 packs/carton	Volume: 0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



4&2LR6V-BP

1.5V AA

Packaging		Gross Weight: 11.8 kg
Blister	6 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	72 packs/carton	Volume: 0.0160 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)



4&4LR6

1.5V AA

Packaging		Gross Weight: 15.5 kg
Blister	8 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	72 packs/carton	Volume: 0.0199 cbm

Dimensions	
Blister (mm)	168(W) x 114(H) x 15(D)
Inner Box (mm)	175(L) x 140(W) x 10.8(H)
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)



LR6-BP4x4

1.5V AA

Packaging		Gross Weight: 15.4 kg
Blister	8 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	72 packs/carton	Volume: 0.0182 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 29(D)
Inner Box (mm)	190(W) x 138(H) x 95(D)
Outer Carton (cm)	29(L) x 20.5(W) x 30.5(H)



LR03-BP4x4

1.5V AAA

Packaging		Gross Weight: 15.9 kg
Blister	8 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	144 packs/carton	Volume: 0.0239 cbm

Dimensions	
Blister (mm)	84(W) x 144(H) x 22(D)
Inner Box (mm)	145(L) x 121(W) x 90(H)
Outer Carton (cm)	37.8(L) x 31.5(W) x 20.0(H)

Plus Alkaline



LR03-BP4

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	16.03kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	33.0(L) x 26.5(W) x 29.0(H)



LR03-BP2

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



4&2LR03V-BP

1.5V AAA

Packaging

Blister	6 pcs/pack	Gross Weight:	12.8 kg
Inner Box	12 packs/box	Volume:	0.0207 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



4&4LR03

1.5V AAA

Packaging

Blister	8 pcs/pack	Gross Weight:	8.9 kg
Inner Box	12 packs/box	Volume:	0.0147 cbm
Outer Carton	72 packs/carton		

Dimensions

Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



6LR61-BP1

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	11.2 kg
Inner Box	12 packs/box	Volume:	0.0246 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



3LR12-BP1

4.5V

Packaging

Blister	1 pcs/pack	Gross Weight:	16.9 kg
Inner Box	6 packs/box	Volume:	0.0295 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)



LR1-BP2

1.5V N

Packaging

Blister	2 pcs/pack	Gross Weight:	6.3 kg
Inner Box	6 packs/box	Volume:	0.0181 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 12(D)
Inner Box (mm)	116(L) x 45(W) x 86(H)
Outer Carton (cm)	36.2(L) x 25.0(W) x 20.0(H)



LR8D425-BP2

1.5V AAAA

Packaging

Blister	2 pcs/pack	Gross Weight:	6.2 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	128(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 27.6(W) x 28.0(H)

Plus Alkaline



4 + 2LR6-BP

1.5V AA

Packaging		Gross Weight:
Blister	6 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0160 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)



4 + 2LR03-BP

1.5V AAA

Packaging		Gross Weight:
Blister	6 pcs/pack	12.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



8 + 4LR6-BP

1.5V AA

Packaging		Gross Weight:
Blister	12 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0190 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)



8 + 4LR03-BP

1.5V AAA

Packaging		Gross Weight:
Blister	12 pcs/pack	12.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0207 cbm

Dimensions	
Blister (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



LR6-DBP24

1.5V AA

Packaging		Gross Weight:
Blister	24 pcs/pack	15 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.0153 cbm

Dimensions	
Blister (mm)	187(W) x 119(H) x 36(D)
Inner Box (mm)	248(L) x 128(W) x 190(H)
Outer Carton (cm)	27.5(L) x 26.5(W) x 21.0(H)



LR03-DBP24

1.5V AAA

Packaging		Gross Weight:
Blister	24 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.010 cbm

Dimensions	
Blister (mm)	162(W) x 110(H) x 29(D)
Inner Box (mm)	210(L) x 118(W) x 166(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 18.5(H)



28 + 8LR6-CB

1.5V AA

Packaging		Gross Weight:
Box	36 pcs/pack	14.0 kg
Inner Box		Volume:
Outer Carton	16 packs/carton	0.0083 cbm

Dimensions	
Box (mm)	253(W) x 102(H) x 15(D)
Inner Box (mm)	
Outer Carton (cm)	26.8(L) x 22.0(W) x 14.0(H)



28 + 8LR03-CB

1.5V AAA

Packaging		Gross Weight:
Box	36 pcs/pack	14.04 kg
Inner Box		Volume:
Outer Carton	32 packs/carton	0.0081 cbm

Dimensions	
Box (mm)	186(W) x 90(H) x 11(D)
Inner Box (mm)	
Outer Carton (cm)	37.5(L) x 20.0(W) x 10.8(H)

Plus Alkaline

LR20-SP2

1.5V D



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0122 cbm

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)

LR14-SP2

1.5V C



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	120 packs/carton	0.0123 cbm

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)

LR6-SP4

1.5V AA




Packaging		Gross Weight:
Shrink	4 pcs/pack	17.8 kg
Inner Box	15 packs/box	Volume:
Outer Carton	180 packs/carton	0.0096 cbm

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)

LR03-SP4

1.5V AAA



Packaging		Gross Weight:
Shrink	4 pcs/pack	14.7 kg
Inner Box	15 packs/box	Volume:
Outer Carton	300 packs/carton	0.0084 cbm

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)

6LR61-SP1

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0083 cbm

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)

LR6-SP10

1.5V AA



Packaging		Gross Weight:
Shrink	10 pcs/pack	10 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions

Inner Box (mm)	150(L) x 147(W) x 110(H)
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)

LR03-SP10

1.5V AAA



Packaging		Gross Weight:
Shrink	10 pcs/pack	9.9 kg
Inner Box	40 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions

Inner Box (mm)	213(L) x 110(W) x 100(H)
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)

Shrink Wrap Packaging and Display Boxes

Convenient Packaging

Our shrink wrap packaging and display boxes help keep your batteries organized and neat.

- Convenient & easy to open
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely holds several batteries
- Professional, branded card inserts and designs for effective messaging



Plus Alkaline

LR20-PB4

1.5V D



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 14.8 kg
Inner Box	6 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0191 cbm		
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62 (H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	

LR14-PB4

1.5V C



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 7.6 kg
Inner Box	6 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0112 cbm		
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32.0(L) x 22.5(W) x 15.5(H)	

LR6-PB24

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 14.1 kg
Inner Box	6 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0149 cbm		
Dimensions		
Plastic Box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	

LR03-PB24

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 7.4 kg
Inner Box	6 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0091 cbm		
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)	

6LR61-PB6

9V



Packaging		
Plastic Box	6 pcs/box	Gross Weight: 7.8 kg
Inner Box	6 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0105 cbm		
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49 (H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	

LR6-PBH24

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 16.3 kg
Inner Box	12 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0142 cbm		
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	

LR03-PBH24

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 8.8 kg
Inner Box	12 boxes / inner box	
Outer Carton	24 packs/carton	
Volume: 0.0084 cbm		
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	

LR6-PBH12

1.5V AA



Packaging		
Plastic Box	12 pcs/box	Gross Weight: 15.2 kg
Inner Box	24 boxes / inner box	
Outer Carton	48 packs/carton	
Volume: 0.0127 cbm		
Dimensions		
Plastic Box (mm)	55(L) x 95(W) x 34(H)	
Inner Box (mm)	195(L) x 170(W) x 142(H)	
Outer Carton (cm)	36.5(L) x 21.0(W) x 16.5(H)	

LR03-PBH12

1.5V AAA



Packaging		
Plastic Box	12 pcs/box	Gross Weight: 7.5 kg
Inner Box	24 boxes / inner box	
Outer Carton	48 packs/carton	
Volume: 0.0069 cbm		
Dimensions		
Plastic Box (mm)	49(L) x 72(W) x 26(H)	
Inner Box (mm)	150(L) x 150(W) x 110(H)	
Outer Carton (cm)	32.0(L) x 16.5(W) x 13.0(H)	

Super Heavy Duty Battery

Camelion Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.



R20P-BP2B

1.5V D

Packaging

Blister	2 pcs/pack	Gross Weight:	14.9 kg
Inner Box	6 packs/box	Volume:	0.0229 cbm
Outer Carton	72 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.0(L) x 29.0(W) x 23.5(H)



R14P-BP2B

1.5V C

Packaging

Blister	2 pcs/pack	Gross Weight:	14.3 kg
Inner Box	6 packs/box	Volume:	0.0315 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4B

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	15.9 kg
Inner Box	12 packs/box	Volume:	0.0272cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP2B

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.2 kg
Inner Box	12 packs/box	Volume:	0.0272cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4B

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.1 kg
Inner Box	12 packs/box	Volume:	0.0237cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP2B

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	7.5 kg
Inner Box	12 packs/box	Volume:	0.0237cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1B

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	11.4 kg
Inner Box	12 packs/box	Volume:	0.0310 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)

Super Heavy Duty



4+2R6PBS-BP

1.5V AA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 9.24 kg
Inner Box	12 packs/box	Volume: 0.0227 cbm
Outer Carton	96 packs/carton	

Dimensions		
Shrink (mm)	84(W) x 114(H) x 30(D)	
Inner Box (mm)	185(L) x 133(W) x 90(H)	
Outer Carton (cm)	39.0(L) x 28.7(W) x 20.3(H)	



4+2R03PBS-BP

1.5V AAA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 5.59 kg
Inner Box	12 packs/box	Volume: 0.0172 cbm
Outer Carton	96 packs/carton	

Dimensions		
Shrink (mm)	84(W) x 114(H) x 22(D)	
Inner Box (mm)	148(L) x 120(W) x 90(H)	
Outer Carton (cm)	39.0(L) x 26.0(W) x 17.0(H)	



R20P-SP2B

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.9 kg
Inner Box	6 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	

Dimensions		
Shrink (mm)	66(W) x 61(H) x 33(D)	
Inner Box (mm)	137(L) x 103(W) x 68(H)	
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)	



R14P-SP2B

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 14.7 kg
Inner Box	6 packs/box	Volume: 0.0129 cbm
Outer Carton	144 packs/carton	

Dimensions		
Shrink (mm)	52(W) x 50(H) x 26(D)	
Inner Box (mm)	104(L) x 78(W) x 50(H)	
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)	



R6P-SP4B

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 18.5 kg
Inner Box	15 packs/box	Volume: 0.0127 cbm
Outer Carton	240 packs/carton	

Dimensions		
Shrink (mm)	56(W) x 50(H) x 14(D)	
Inner Box (mm)	174(L) x 72(W) x 50(H)	
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)	



R03P-SP4B

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 10.0 kg
Inner Box	15 packs/box	Volume: 0.0083 cbm
Outer Carton	300 packs/carton	

Dimensions		
Shrink (mm)	40(W) x 44.5(H) x 10(D)	
Inner Box (mm)	125(L) x 52(W) x 45(H)	
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)	



6F22-SP1B

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 17.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	480 packs/carton	

Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)	
Inner Box (mm)	105(L) x 52(W) x 50(H)	
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)	

Super Heavy Duty

R6P-SP10B

1.5V AA



Packaging		
Shrink	10 pcs/pack	Gross Weight: 8.0 kg
Inner Box	24 packs/box	Volume: 0.0085 cbm
Outer Carton	2 boxes/carton	
Dimensions		
Inner Box (mm)	180(L) x 147(W) x 110(H)	
Outer Carton (cm)	31.5(L) x 20.0(W) x 13.5(H)	

R03P-SP10B

1.5V AA



Packaging		
Shrink	10 pcs/pack	Gross Weight: 7.1 kg
Inner Box	40 packs/box	Volume: 0.0064 cbm
Outer Carton	2 boxes/carton	
Dimensions		
Inner Box (mm)	213(L) x 110(W) x 100(H)	
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)	

R20P-PB4B

1.5V D



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 10.1 kg
Inner Box	6 boxes / inner box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	

R14P-PB4B

1.5V C



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 5.9 kg
Inner Box	6 boxes / inner box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	

R6P-PB24B

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 11.7 kg
Inner Box	6 boxes / inner box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	

R03P-PB24B

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 6.8 kg
Inner Box	6 boxes / inner box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)	

6F22-PB6B

9V



Packaging		
Plastic Box	6 pcs/box	Gross Weight: 6.5 kg
Inner Box	6 boxes / inner box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	

R6P-PBH24B

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 12.4 kg
Inner Box	12 boxes / inner box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	

R03P-PBH24B

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 7.0 kg
Inner Box	12 boxes / inner box	Volume: 0.0084 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	

Super Heavy Duty



R20P-BP2G

1.5V D	
Packaging	
Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	72 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 29.0(W) x 24.5(H)

Gross Weight:
14.1 kg
Volume:
0.0238cbm



R14P-BP2G

1.5V C	
Packaging	
Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	144 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)

Gross Weight:
14.3 kg
Volume:
0.0315 cbm



R6P-BP4G

1.5V AA	
Packaging	
Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)

Gross Weight:
15.9 kg
Volume:
0.0272cbm



R6P-BP2G

1.5V AA	
Packaging	
Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)

Gross Weight:
9.2 kg
Volume:
0.0272cbm



R03P-BP4G

1.5V AAA	
Packaging	
Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

Gross Weight:
11.1 kg
Volume:
0.0237cbm



R03P-BP2G

1.5V AAA	
Packaging	
Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

Gross Weight:
7.5 kg
Volume:
0.0237cbm



6F22-BP1G

9V	
Packaging	
Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)

Gross Weight:
11.4 kg
Volume:
0.0310 cbm



R6P-BP10G

1.5V AA	
Packaging	
Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton
Dimensions	
Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	315(L) x 104(W) x 90(H)
Outer Carton (cm)	33.0(L) x 30.5(W) x 23.0(H)

Gross Weight:
12.1 kg
Volume:
0.0239 cbm



R6P-BP1x10GP

1.5V AA	
Packaging	
Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton
Dimensions	
Blister (mm)	135(W) x 225(H) x 15.5(D)
Inner Box (mm)	235(L) x 105(W) x 147(H)
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)

Gross Weight:
12.4 kg
Volume:
0.0264 cbm



R03P-BP1x10GP

1.5V AAA	
Packaging	
Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton
Dimensions	
Blister (mm)	135(W) x 225(H) x 11.5(D)
Inner Box (mm)	235(L) x 85(W) x 147(H)
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)

Gross Weight:
8.0 kg
Volume:
0.0216 cbm

Super Heavy Duty



4+2R6PG-BP

1.5V AA

Packaging		
Blister	6 pcs/pack	Gross Weight: 7.5 kg
Inner Box	12 packs/box	Volume: 0.0160 cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	125(W) x 114(H) x 15(D)	
Inner Box (mm)	132(L) x 105(W) x 138(H)	
Outer Carton (cm)	41.5(L) x 29.5(W) x 13.0(H)	



4+2R03PG-BP

1.5V AAA

Packaging		
Blister	6 pcs/pack	Gross Weight: 9.2 kg
Inner Box	12 packs/box	Volume: 0.0207 cbm
Outer Carton	144 packs/carton	
Dimensions		
Blister (mm)	125(W) x 114(H) x 11(D)	
Inner Box (mm)	132(L) x 75(W) x 125(H)	
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)	



8+4R6PG-BP

1.5V AA

Packaging		
Blister	12 pcs/pack	Gross Weight: 9.2 kg
Inner Box	6 packs/box	Volume: 0.0190 cbm
Outer Carton	48 packs/carton	
Dimensions		
Blister (mm)	125(W) x 114(H) x 29(D)	
Inner Box (mm)	132(L) x 100(W) x 137(H)	
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)	



8+4R03PG-BP

1.5V AAA

Packaging		
Blister	12 pcs/pack	Gross Weight: 7.8 kg
Inner Box	6 packs/box	Volume: 0.0207 cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	125(W) x 114(H) x 21(D)	
Inner Box (mm)	132(L) x 75(W) x 125(H)	
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)	



R20P-SP2G

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.4 kg
Inner Box	6 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	
Dimensions		
Shrink (mm)	66(W) x 61(H) x 33(D)	
Inner Box (mm)	137(L) x 103(W) x 68(H)	
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)	



R14P-SP2G

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.2 kg
Inner Box	6 packs/box	Volume: 0.0129 cbm
Outer Carton	144 packs/carton	
Dimensions		
Shrink (mm)	52(W) x 50(H) x 26(D)	
Inner Box (mm)	104(L) x 78(W) x 50(H)	
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)	



R6P-SP4G

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 14.7 kg
Inner Box	15 packs/box	Volume: 0.0127cbm
Outer Carton	240 packs/carton	
Dimensions		
Shrink (mm)	56(W) x 50(H) x 14(D)	
Inner Box (mm)	174(L) x 72(W) x 50(H)	
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)	



R03P-SP4G

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 10.0 kg
Inner Box	15 packs/box	Volume: 0.0083 cbm
Outer Carton	300 packs/carton	
Dimensions		
Shrink (mm)	40(W) x 44.5(H) x 10(D)	
Inner Box (mm)	125(L) x 52(W) x 45(H)	
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)	



6F22-SP1G

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 19.0 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	480 packs/carton	
Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)	
Inner Box (mm)	105(L) x 52(W) x 50(H)	
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)	

Super Heavy Duty

R20P-PB4G

1.5V D



Packaging		Gross Weight:
Plastic Box	4 pcs/box	9.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0191 cbm
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	

R14P-PB4G

1.5V C



Packaging		Gross Weight:
Plastic Box	4 pcs/box	5.4 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0112 cbm
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	

R6P-PB24G

1.5V AA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	9.4 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0149 cbm
Dimensions		
Plastic box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	

R03P-PB24G

1.5V AAA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0091 cbm
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34(L) x 20.5(W) x 13(H)	

6F22-PB6G

9V



Packaging		Gross Weight:
Plastic Box	6 pcs/box	6.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0105 cbm
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	

R6P-PBH24G

1.5V AA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	10.1 kg
Inner Box	12 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0142 cbm
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	

R03P-PBH24G

1.5V AAA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.7 kg
Inner Box	12 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.084 cbm
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	

Lithium Battery

Camelion Lithium P7™ Batteries are both lightweight and deliver higher energy performance. As Camelion's most powerful primary battery, P7 batteries offer unbeatable performance for your high-drain devices, such as cameras, smart home water meters and other devices. The maximum lifespan of this type of battery is 10 years in storage.



FR6-BP4

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.0 kg
Inner Box	12 packs/box	Volume:	0.0166 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



FR6-BP2

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.3 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	216 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



FR03-BP4

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	12.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



FR03-BP2

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	8.0 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions


Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

9V Lithium Battery

The Camelion 9V Lithium Battery is a high-capacity battery designed to provide long-lasting life and stable operating voltage.

- 9V, 1200mAh capacity
- Up to 5x longer-lasting
- Low self-discharge
- Anti-leakage crimp design
- Temperature range: -20°C to 55°C
- Non-rechargeable
- 10-year life in storage
- Stable and high operating voltage

*Compared to Camelion Alkaline Battery 6LR61. Camelion 2014 lab tests.



CR9V-BP1

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	8.3 kg
Inner Box	12 packs/box	Volume:	0.0246 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Photo Lithium Battery

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.



CR123A-BP1

3V

Packaging

Blister	1 pcs/pack	Gross Weight:	5.5 kg
Inner Box	10 packs/box	Volume:	0.0243 cbm
Outer Carton	200 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 17.5(D)
Inner Box (mm)	118(L) x 95(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

3V

Packaging

Blister	1 pcs/pack	Gross Weight:	4.5 kg
Inner Box	10 packs/box	Volume:	0.0215 cbm
Outer Carton	200 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 16.5(D)
Inner Box (mm)	118(L) x 85(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 19.0(H)



CR-P2-BP1

6V

Packaging

Blister	1 pcs/pack	Gross Weight:	10.0 kg
Inner Box	10 packs/box	Volume:	0.0265 cbm
Outer Carton	200 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 20.5(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

6V

Packaging

Blister	1 pcs/pack	Gross Weight:	10.0 kg
Inner Box	10 packs/box	Volume:	0.0265 cbm
Outer Carton	200 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)

Micro Battery

Camelion Micro Batteries provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc-air. They are suitable for car keys, calculators, laser pointers, hearing aids and many other electronic gadgets.

Lithium

3V



ITEM	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME(CBM)
CR1216-BP1	56 x 92 x 3 1 PCS / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.5	0.0451
CR1220-BP1				8.0	
CR1225-BP1				8.0	
CR1616-BP1				8.0	
CR1620-BP1				8.5	
CR1632-BP1				10.4	
CR2016-BP1				9.5	
CR2025-BP1				11.0	
CR2032-BP1				12.0	
CR2320-BP1				11.5	
CR2330-BP1				13.0	
CR2430-BP1				13.5	
CR2450-BP1				17.5	
CR927-BP1				14.0	
CR2016-BP2	55 x 92 x 6 4 PCS / BLISTER	145 x 120 x 58 40 PACKS	30.6 x 25.6 x 31.5 800 PACKS	8.64	0.0247
CR2025-BP2				9.76	
CR2032-BP2				10.4	
CR1216-BP5	55x 190 x 6 5 PCS / BLISTER	190 x 30 x 57 10 PACKS	29.0 x 22.0 x 26.0 360 PACKS	4.5	0.0165
CR1220-BP5				4.5	
CR1225-BP5				5.0	
CR1616-BP5				5.5	
CR1620-BP5				5.5	
CR2016-BP5				6.5	
CR2025-BP5				8.0	
CR2032-BP5				9.0	

Alkaline

1.5V

0% Hg



ITEM(0% Hg)	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME (CBM)
AG0-BP2(0% Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG1-BP2(0% Hg)				7.0	
AG2-BP2(0% Hg)				7.8	
AG3-BP2(0% Hg)				8.0	
AG4-BP2(0% Hg)				7.0	
AG5-BP2(0% Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0% Hg)				8.0	
AG7-BP2(0% Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.5	0.0379
AG8-BP2(0% Hg)				9.0	
AG9-BP2(0% Hg)				9.0	
AG10-BP2(0% Hg)				10.0	
AG11-BP2(0% Hg)				7.0	
AG12-BP2(0% Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	11.0	0.0451
AG13-BP2(0% Hg)				13.0	
625A(0% Hg)	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0% Hg)	50 x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 10 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0% Hg)				4.0	
AG2-BP10(0% Hg)				4.5	
AG3-BP10(0% Hg)				5.0	
AG4-BP10(0% Hg)				4.0	
AG5-BP10(0% Hg)				6.5	
AG6-BP10(0% Hg)				5.0	
AG7-BP10(0% Hg)				5.5	
AG8-BP10(0% Hg)				6.0	
AG9-BP10(0% Hg)				6.0	
AG10-BP10(0% Hg)				7.0	
AG11-BP10(0% Hg)				4.0	
AG12-BP10(0% Hg)				8.7	
AG13-BP10(0% Hg)	10.0				
FB01-BP12(0% Hg)	84 x 190 x 13.5 12 PCS / BLISTER	191 x 78 x 85 12 PACKS	33.5 x 21.0 x 28.0 144 PACKS	7.5	0.0197

Micro Battery

Alkaline 0% Hg



ITEM(0% Hg)	Voltage(V)	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME (CBM)
A23-BP1(0% Hg)	12V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	8.6	0.0380
A27-BP1(0% Hg)	12V				8.0	
A32-BP1(0% Hg)	9V				7.1	
A23-BP5(0% Hg)	12V	50 x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0% Hg)	12V				12.0	
A32-BP5(0% Hg)	9V				10.2	

Hearing Aid Zinc Air 1.45V 0% Hg

Camelion Hearing Aid Batteries are light and reliable. Their packaging is specially designed for easy storage and easy to use.



ITEM(0% Hg)	W x H x D (mm)	PACKAG- ING	W x H x D (mm)	INNER BOX	W x H x D (mm)	INNER CARTON	W x H x D (cm)	SHIPPING CARTON	G.W. (KG)	VOLUME (CBM)
A13-BP6(0% Hg)	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6(0% Hg)	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6(0% Hg)	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6(0% Hg)	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196

Batteries Tester

Camelion Batteries Testers are capable of testing a wide range of batteries and provide a fast indication of the battery's status.




BT-0503

Test AA, AAA, C, D, 9V



Main Features

- Quickly determines if battery needs charging or replacing.
- On the spot testing – just insert and check LED.
- Compact & light.

• Insert battery: Observe polarity



• Check LED indicator: If LED fluctuates press slightly




BT-0507

Tests 1.5V AA/AAA/C/D dry batteries; 1.5V button cell batteries; 9V rechargeable Ni-MH/Ni-Cd or dry batteries.

Main Features

- The three-color scale and pointer make it easy to quickly view the battery's voltage level
- Capable of testing most 1.5V and 9V batteries
- Rotatable Test Arm easily adapts to fit different battery types
- Portable



Battery Selection Chart

Ultra Alkaline Batteries	 
Digi Alkaline Batteries	 
Plus Alkaline Batteries	 
Super Heavy Duty Batteries	 
Lithium P7 Batteries	 
Photo Lithium Batteries	 
9V Lithium Battery	 
Micro Batteries: Lithium	 
Micro Batteries: Alkaline	 
Zinc-Air Hearing Aid Batteries	 

Please Note:

These are suggested recommendations only. For the most accurate information, please refer to your device manufacturer's manual. Camelion is not responsible for accidents resulting from the use of this information.

Rechargeable Battery

Rechargeable Battery

Camelion AlwaysReady Batteries are pre-charged, long-lasting and high capacity. They are the economical choice for rechargeable batteries and can hold their charge for up to 2 years.

Hyper

- Excellent energy recovery for camera flashes
- Supports up to 1500 camera flashes
- Shortest output interval, 10-15% faster



NH-AA2500HPBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 10.2 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500HPBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 11.2 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2000HPBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 10.2 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2000HPBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 11.2 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)

Pre-charged, long-lasting and economic, Camelion AlwaysReady rechargeable batteries use an improved formula of better atomic structure. The batteries hold their charge up to 2 years.



NH-AA2700ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 13.1 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2700ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 12.0 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.9 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)

Ready to Use Battery



NH-AA2300ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.9 kg
Inner Box	12 packs/box	Volume:	0.0274 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.8 kg
Inner Box	12 packs/box	Volume:	0.0144 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2100ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.7 kg
Inner Box	12 packs/box	Volume:	0.0274 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2100ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.7 kg
Inner Box	12 packs/box	Volume:	0.0144 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1000ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.4 kg
Inner Box	12 packs/box	Volume:	0.0274 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1000ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.4 kg
Inner Box	12 packs/box	Volume:	0.0144 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA800ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.4 kg
Inner Box	12 packs/box	Volume:	0.0274 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA800ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.4 kg
Inner Box	12 packs/box	Volume:	0.0144 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)

Ready to Use Battery



NH-AAA1100ARBP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1100ARBP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900ARBP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA900ARBP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V200ARBP1

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)

Ready to Use Battery



Energy Solutions for Solar-Powered Devices

Camelion Ni-MH Rechargeable Batteries are the perfect solution for outdoor solar-powered equipment. These batteries offer a long lifespan and outstanding sustainability when charged by solar-powered devices. They're the ideal choice for outdoor equipment such as landscape lighting.



NH-AA600ARBP4(GSL)

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA600ARBP2(GSL)

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA300ARBP4(GSL)

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA300ARBP2(GSL)

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AA600ARPBH24(GSL)

1.2V AA

Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.7 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	12 packs/carton	0.0065 cbm

Dimensions	
Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	192(L) x 115(W) x 108(H)
Outer Carton (cm)	24.5(L) x 20.8(W) x 12.8(H)



NH-AAA300ARPBH24(GSL)

1.2V AAA

Packaging		Gross Weight:
Plastic Box	24 pcs/box	6.2 kg
Inner Box	12 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.067 cbm

Dimensions	
Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	215(L) x 200(W) x 55(H)
Outer Carton (cm)	23.0(L) x 21.5(W) x 13.5(H)

Ni-MH Rechargeable Battery

Camelion Ni-MH Rechargeable Batteries have high capacities and offer great performance. They're capable of up to 1000 recharge cycles and are optimal for high-drain devices such as cameras, shavers, alarm clocks, microphones, and more.



NH-D10000BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	17.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0244 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	165(L) x 135(W) x 105(H)
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)



NH-D2500BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0234 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-C3500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-C2500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-AA2700BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2700BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	14.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)

Ni-MH Rechargeable Battery

Lithium-ion Rechargeable Battery



NH-AAA1100BP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 9.8 kg
Inner Box	12 packs/box	Volume: 0.0168 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100BP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 9.7 kg
Inner Box	12 packs/box	Volume: 0.0269 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA800BP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 7.8 kg
Inner Box	12 packs/box	Volume: 0.0168 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800BP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 7.7 kg
Inner Box	12 packs/box	Volume: 0.0269 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V250BP1

9V Voltage: 8.4V

Packaging		
Blister	1 pcs/pack	Gross Weight: 12.3 kg
Inner Box	12 packs/box	Volume: 0.0385 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-9V200BP1

9V Voltage: 8.4V


Packaging		
Blister	1 pcs/pack	Gross Weight: 11.6 kg
Inner Box	12 packs/box	Volume: 0.0385 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)

Lithium-ion Rechargeable Batteries

- Up to 500 discharge-recharge cycles
- Holds at least 85% of charge for 6 months



ICR18650-2200BP1

3.7V 2200 mAh

Packaging		
Blister	1 pcs/pack	Gross Weight: 8.72 kg
Inner Box	12 packs/box	Volume: 0.0238 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	60(W) x 130(H) x 21(D)
Inner Box (mm)	175(L) x 135(W) x 68(H)
Outer Carton (cm)	42.0(L) x 36.5(W) x 15.5(H)



ICR18650-2600BP1

3.7V 2600 mAh

Packaging		
Blister	1 pcs/pack	Gross Weight: 8.72 kg
Inner Box	12 packs/box	Volume: 0.0238 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	60(W) x 130(H) x 21(D)
Inner Box (mm)	175(L) x 135(W) x 68(H)
Outer Carton (cm)	42.0(L) x 36.5(W) x 15.5(H)

Battery Charger

Battery Charger

Offer ultimate charging speed; decreasing recharge time to one hour to save you time and money.

BC-0907N

Charges:

1-4 x AA
1-4 x AAA

Ni-MH

Ni-Cd



Includes:



AC Adapter

*Different plug models for different countries



CONFORMS TO
UL 870-1519
CEN EN 60335-2-29
CSA C22.2 No.223

MAIN FEATURES

- 4 Independent Charging Channels
- 7-Level Charge Protections
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-Current
 - Short-Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Trickle Charge
- Worldwide Voltage
- Refresh Battery Memory Capability
- Pulse Charging Technology
- Easy-to-read LCD Display



SPECIFICATIONS

AC To DC Adapter
Input: 100-240V~50/60Hz
Output: 12V --- 1.5A

Battery Charger
Input: 12V --- 1.5A
Output:
4 x (1.4V --- 2.2A) AA
4 x (1.4V --- 0.8A) AAA

AVAILABLE COLORS

White

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	302	229.5
Dimensions W x H x D (mm)	125 x 205 x 67	125 x 205 x 67
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	2.2	2.17
Gross Weight(kg)	2.5	2.48
Dimensions L x W x H (cm)	42 x 22 x 14	42 x 22 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	8.8	8.66
Gross Weight(kg)	10.46	10.34
Dimensions L x W x H (cm)	45.4 x 43.5 x 30	45.4 x 43.5 x 30
Volume(cbm)	0.0593	0.0593

BC-0905A


BC-0905T

Charges:

1-4 x AA
1-4 x AAA

Ni-MH

Ni-Cd



Different plug models for different countries



CONFORMS TO
UL 870-1519
CEN EN 60335-2-29
CSA C22.2 No.223

BC-0905A

MAIN FEATURES

- 4 Independent Charging Channels
- 6-Level Charge Protections
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-current and Short-circuit Protection
 - Defective and Non-rechargeable battery detection
- Trickle Charge
- LED Charging Indicators

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: AA: 1.4V --- 1.0A (1-2pcs)
1.4V --- 0.5A (3-4 pcs)
AAA: 1.4V --- 0.6A (1-2 pcs)
1.4V --- 0.3A (3-4 pcs)

Safety Timer Control:
3.5 h (1-2 pcs), 7 h (3-4 pcs)

Red	Charging
Green	Fully charged / Trickle
Flashing	Defective or non-rechargeable batteries / Short circuit

BC-0905T

MAIN FEATURES

- 2 Independent Charging Channels
- 4-Level Charge Protections
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-Voltage and Short-Circuit Protection
 - 4 LED Charging Indicators

SPECIFICATIONS

Input: 100 - 240V~50/60Hz 0.1A Max
Output: 2 X (2.8V --- 0.25A) AA
2 X (2.8V --- 0.12A) AAA
Timer Control: 10 h

Working Status	Red LED	Green LED
Standby	OFF	OFF
Charging	ON	OFF
Fully Charged	OFF	ON

AVAILABLE COLORS

White Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	144	128
Dimensions W x H x D (mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.3	2
Gross Weight(kg)	2.9	2.6
Dimensions L x W x H (cm)	43 x 19 x 27	43 x 19 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	4.6	4.1
Gross Weight(kg)	5.8	5.29
Dimensions L x W x H (cm)	44.5 x 40 x 29	44.5 x 40 x 29
Volume(cbm)	0.0516	0.0516

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	1-2 Cells	3-4 Cells
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h
Ni-Cd AA 1000 mAh	70 min	2 h
Ni-Cd AAA 300 mAh	40 min	70 min

Battery Charger

BC-1010B

Charges:

2 or 4 × AA

2 or 4 × AAA



Ni-MH

Ni-Cd



Different plug models for different countries



MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Charging Indicators

Red Charging or fully charged

SPECIFICATIONS

Input: 100-240V ~50/60Hz
Output: 2 x (2.8V $\overline{\text{---}}$ 0.2A) AA/AAA

AVAILABLE COLORS

White Black

PACKAGING

Blister	
Plug:	EU
Weight(g)	118.2
Dimensions(W)x(H)x(D)(mm)	125 x 204 x 76
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	0.95
Gross Weight(kg)	1.3
Dimensions L x W x H (cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight(kg)	3.78
Gross Weight(kg)	5.5
Dimensions L x W x H (cm)	50.5 x 48.5 x 30
Volume(cbm)	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	5 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	2 h

BC-1020B

Charges:

1-2 × 9V

Ni-MH

Ni-Cd



90° Flip plug



MAIN FEATURES

- Charges one to two pcs 9V Ni-MH/Ni-Cd Batteries
- 2 Independent Charging Channels
- 2 LED Charging Indicators

Red Fully charged

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz
Output: 2 x (9V $\overline{\text{---}}$ 0.025A)

AVAILABLE COLORS

White Black

PACKAGING

Blister	
Plug:	US
Weight(g)	83
Dimensions W x H x D (mm)	92 x 177.5 x 55
Inner Carton	
Packs / Inner ctn	24
Net Weight(kg)	1.75
Gross Weight(kg)	2.5
Dimensions L x W x H (cm)	31.2 x 28.6 x 19.2
Outer Carton	
Packs / Carton	48
Net Weight(kg)	3.5
Gross Weight(kg)	5
Dimensions L x W x H (cm)	32.5 x 29.8 x 40.5
Volume(cbm)	0.0392

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH 9V 250mAh	14 h
Ni-MH 9V 200mAh	11 h
Ni-MH 9V 120mAh	6.5 h

Battery Charger

BC-1091

Charges:

1-2 x AA

1-2 x AAA



Ni-MH

Ni-Cd



Different plug models for different countries



MAIN FEATURES

- 3 independent charging channels
- Suitable for 1-2pcs 1.2V AA/AAA or 1pc 9V Ni-MH rechargeable battery
- Reverse polarity protection, short circuit protection, over voltage protection
- Safety timer (12 hours)*

*The charging stops automatically after 12 hours to avoid overcharging the battery

On	Charging in progress
Off	Charging completed

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: AA 1.4V $\overline{\text{---}}$ 0.25A

AAA 1.4V $\overline{\text{---}}$ 0.12A

9V 9V $\overline{\text{---}}$ 0.025A

Dimensions:

97.5 x 42 x 63.5 mm / 3.84 x 1.65 x 2.5 in (EU Plug)

97.5 x 42 x 45 mm / 3.84 x 1.65 x 1.77 in (US Plug)

Net Weight: 60 g / 0.13 lb (EU Plug)

55 g / 0.12 lb (US Plug)

AVAILABLE COLORS

Black

PACKAGING

Blister	
Plug:	EU
Weight(g)	91
Dimensions W x H x D (mm)	87 x 172 x 50
Inner Carton	
Packs / Inner ctn	32
Net Weight(kg)	2.82
Gross Weight(kg)	3.47
Dimensions L x W x H (cm)	39.5 x 37.5 x 18
Outer Carton	
Packs / Carton	64
Net Weight(kg)	5.64
Gross Weight(kg)	7.34
Dimensions L x W x H (cm)	41 x 39 x 39
Volume(cbm)	0.0624

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	12 h
Ni-MH AA 2000 mAh	10 h
Ni-MH AA 1500 mAh	8 h
Ni-MH AAA 1100 mAh	12 h
Ni-MH AAA 800 mAh	9 h
Ni-MH 9V 200 mAh	10 h

BC-1009

Charges:

1-2 x AA

1-2 x AAA



Ni-MH

Ni-Cd



Different plug models for different countries



MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Slim Shell Case Design
- 2 LED Charging Indicators

Red	Charging or Fully Charged
-----	---------------------------

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: 2 x (1.4V $\overline{\text{---}}$ 0.15A)

AVAILABLE COLORS

Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	75	65
Dimensions W x H x D (mm)	90 x 172 x 72	90 x 172 x 50
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	1.2	1.04
Gross Weight(kg)	1.6	1.35
Dimensions L x W x H (cm)	41.5 x 20 x 22.5	36 x 20 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	2.4	2.08
Gross Weight(kg)	3.5	3.2
Dimensions L x W x H (cm)	43 x 42 x 24.5	42 x 37.5 x 22
Volume(cbm)	0.0443	0.0347

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	18 h
Ni-MH AA 1500 mAh	14 h
Ni-MH AAA 800 mAh	8 h
Ni-Cd AA 1000 mAh	9 h
Ni-Cd AAA 300 mAh	2.5 h

Battery Charger

BC-0904SM

Charges:

2 or 4 × AA
2 or 4 × AAA
1-2 × 9V

Ni-MH

Ni-Cd



Different plug models for different countries

CE

MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for AA or AAA size Ni-MH / Ni-Cd or 9 V Li-ion Rechargeable Batteries
- Leakage Current Protection & Reverse Polarity Protection
- LED Charging Indicators

Red	Charging or fully charged
-----	---------------------------

SPECIFICATIONS

Input: 100 ~ 240 V, 50/60 Hz
Output: AA: 2 x (2.8 V \approx 0.16 A)
AAA: 2 x (2.8 V \approx 0.08 A)
9 V: 2 x (9 V \approx 0.025 A)

AVAILABLE COLOR

Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	250	146.3
Dimensions W x H x D (mm)	210 x 130 x 84	210 x 130 x 66
Inner Carton		
Packs / Inner ctn	4	8
Net Weight(kg)	1	1.17
Gross Weight(kg)	1.3	1.36
Dimensions L x W x H (cm)	49.5 x 9 x 21.5	41.5x21.5x13.5
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	4	2.34
Gross Weight(kg)	5.4	3.12
Dimensions L x W x H (cm)	51 x 39 x 23.5	43 x 23 x 29.5
Volume(cbm)	0.0468	0.0292

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	17 h
Ni-MH AA 1500 mAh	13 h
Ni-MH AAA 800 mAh	14 h
Ni-Cd AA 1000 mAh	9 h
Ni-Cd AAA 300 mAh	4.5 h
Ni-MH 9V 200 mAh	11 h

BC-0906SM

Charges:

1-4 × C or D
1-4 × AA
1-4 × AAA
1-2 × 9V

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- Worldwide input range of 100-240V
- 6 independent charging channels for charging multiple batteries simultaneously.
- 5 kinds of regular size batteries can support
- 3 levels of safety protection:
 - Reverse Polarity Protection
 - Voltage Recovery
 - Low Battery Leakage Current
- LED Indicator

Red	Charging or Fully Charged
-----	---------------------------

SPECIFICATIONS

Input: 100~240 V, 50 / 60 Hz
Output: D / C / AA / AAA: 4 x (1.4 V \approx 0.25 A)
9 V: 2 x (9 V \approx 0.025 A)

AVAILABLE COLOR

Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	503.8	543.8
Dimensions W x H x D (mm)	130 x 295 x 101	130 x 295 x 101
Inner Carton		
Packs / Inner ctn	4	4
Net Weight(kg)	2.0	2.18
Gross Weight(kg)	2.36	2.51
Dimensions L x W x H (cm)	31.3 x 31 x 14.3	31.3 x 31 x 14.3
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	8.06	8.7
Gross Weight(kg)	9.82	10.42
Dimensions L x W x H (cm)	64.5 x 33.3 x 31.5	64.5 x 33.3 x 31.5
Volume(cbm)	0.0677	0.0677

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	14 h
Ni-MH AA 2000 mAh	11 h
Ni-MH AA 1500 mAh	8 h
Ni-MH AAA 600 mAh	3 h
Ni-Cd AA 1000 mAh	5 h
Ni-Cd AAA 300 mAh	1.5 h
Ni-MH C 2500 mAh	14 h
Ni-MH D 2500 mAh	14 h
Ni-MH 9V 200 mAh	11 h

Battery Charger

BC-0806T

Charges:

2 x AA
2 x AAA

Ni-MH

Ni-Cd



MAIN FEATURES

- Suitable for charging AA / AAA batteries in pairs
- **3 levels of battery protection:**
 - Safety Timer Control Protection
 - Over voltage Protection
 - Reverse Polarity Protection
- **LED Flashing:**
 - Flashing Green: Charging
 - Solid Green: Fully Charged

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1.0 A
 Output: AA: 2 x (2.8 V $\overline{\text{---}}$ 0.3 A)
 AAA: 2 x (2.8 V $\overline{\text{---}}$ 0.12 A)
 Safety Timer Control: 8 h

AVAILABLE COLOR

White

PACKAGING

Blister	
Plug:	/
Weight(g)	76
Dimensions W x H x D (mm)	57 x 24 x 92
Inner Carton	
Packs / Inner ctn	48
Net Weight(kg)	3.6
Gross Weight(kg)	3.8
Dimensions L x W x H (cm)	32 x 19.5 x 12.8
Outer Carton	
Packs / Carton	192
Net Weight(kg)	14.6
Gross Weight(kg)	15.27
Dimensions L x W x H (cm)	40.5 x 33.5 x 27.5
Volume(cbm)	0.0373

BC-1057F

BC-1057T

Charges:

1 to 4 x AA
1 to 4 x AAA

Ni-MH

Ni-Cd



CAN ICES-3(B)/NMB-3(B) Intertek 3100300



BC-1057F



BC-1057T

MAIN FEATURES

- BC-1057F**
- Charges 1-4 pcs AA/AAA Ni-MH Rechargeable Batteries
 - 4 Independent Charging Channels
 - 6 Levels of Safety Protection:
 - ΔV cut off
 - Reverse polarity protection
 - Safety timer control protection
 - Over current protection
 - Short-circuit protection
 - Defective & non-rechargeable battery detection
 - **USB-C Input**

Solid Red	Charging in progress
Flashing	Defective or non-rechargeable battery / short circuit
Solid Green	Charging completed

- BC-1057T**
- Charges 1-4 pcs AA/AAA Ni-MH Rechargeable Batteries
 - 4 Independent Charging Channels
 - 4 Levels of Safety Protection:
 - Reverse polarity protection
 - Over voltage protection
 - Short-circuit protection
 - Safety timer control protection
 - **USB-C Input**

Flashing	Charging in progress
Constant On	Charging complete

SPECIFICATIONS

BC-1057F
 Input: 5V $\overline{\text{---}}$ 2A
 Output: AA: 1.4V $\overline{\text{---}}$ 1.6A (1-2pcs),
 1.4V $\overline{\text{---}}$ 0.8A (3-4pcs),
 AAA: 1.4V $\overline{\text{---}}$ 0.8A (1-2pcs),
 1.4V $\overline{\text{---}}$ 0.4A (3-4pcs)
 Safety Timer Control: 2 h (1-2 pcs), 4 h (3-4 pcs)

BC-1057T
 Input: 5V $\overline{\text{---}}$ 1.5A
 Output: AA: 4 x (1.4V $\overline{\text{---}}$ 0.3A)
 AAA: 4 x (1.4V $\overline{\text{---}}$ 0.15A)
 Safety Timer Control: 12 h

AVAILABLE COLORS

White White

BC-1057F

BC-1057T

PACKAGING

Blister	
Weight(g)	220
Dimensions W x H x D (mm)	90 x 172 x 54
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	3.5
Gross Weight(kg)	3.84
Dimensions L x W x H (cm)	41.0 x 22.5 x 10.5
Outer Carton	
Packs / Carton	32
Net Weight(kg)	7.04
Gross Weight(kg)	7.68
Dimensions L x W x H (cm)	42.2 x 23.8 x 22.0
Volume(cbm)	0.022

CHARGING TIMES

Type of Battery	Charging Times (Appr.)		
	BC-1057F		BC-1057T
	1-2 Cells	3-4 Cells	
Ni-MH AA 2500 mAh	2 h	4 h	11 h
Ni-MH AA 2100 mAh	1.5 h	3 h	10 h
Ni-MH AA 1500 mAh	1.5 h	3 h	6 h
Ni-MH AAA 1100 mAh	70 min	2.5 h	10 h
Ni-MH AA 800 mAh	45 min	1.5 h	7 h
Ni-MH AAA 600 mAh	30 min	1 h	5 h

Battery Charger

BC-1058

Charges:

1-8 x AA
1-8 x AAA

Ni-MH

Ni-Cd



PACKAGING

Blister	
Plug:	/
Weight(g)	/
Dimensions W x H x D (mm)	/
Inner Carton	
Packs / Inner ctn	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Outer Carton	
Packs / Carton	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Volume(cbm)	/

MAIN FEATURES

- **8 Independent Charging Channels**
Charges 1-8 pcs 1.2V AA and AAA size Ni-MH rechargeable batteries
- **Automatically cut off after 9 hours**
Protects against overcharge and helps to maximize the life cycle of the battery
- **6 Levels Of Safety Protection**
dV Cut Off, reverse polarity protection, short circuit protection, over current protection, safety timer control, Defective and Non-rechargeable Battery Detection
- **Easy-to-monitor Charging Indicators**

Red LED	Charging in progress
Green LED	Fully charged
Red and green alternative flashing	Error

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2.0A 10W
Output: 1.4V $\overline{\text{---}}$ 0.35A

Timer Control: 9 h
Dimensions:
125 x 83.5 x 25 mm / 4.92 x 3.29 x 0.98 in
Net Weight: 100 g / 0.22 lb

AVAILABLE COLORS

Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	9 h
Ni-MH AA 2000 mAh	8 h
Ni-MH AA 1800 mAh	7 h
Ni-MH AA1500 mAh	6 h
Ni-MH AAA1100 mAh	4.5 h
Ni-MH AAA 300 mAh	3 h

BC-1043MC

Charges:

1-4 x AAA
1-4 x AA
1-4 x C
1-4 x D
1-2 x 9V

Ni-MH

Ni-Cd



PACKAGING

Blister	
Plug:	/
Weight(g)	/
Dimensions W x H x D (mm)	/
Inner Carton	
Packs / Inner ctn	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Outer Carton	
Packs / Carton	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Volume(cbm)	/

MAIN FEATURES

- **6 Independent Charging Channels**
Charge 1-4pcs AA/AAA/C/D or 1-2pcs 9V Ni-MH / Ni-Cd batteries
- **Smart-charge with precise micro-controlunit**
Provide precise, high efficient and reliable charging and maximize the life cycle of the batteries
- **Battery Refresh Function**
Reduce the memory effect enabling full battery discharge for long life span
- **4 Levels Of Safety Protection**
-dV, 0dV Cut Off, reverse polarity protection, short circuit protection, Defective and Non-rechargeable Battery Detection
- **Easy-to-monitor Charging Indicators**

Red LED	Charging in progress
Green LED	Fully charged

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1.0A 5W
Output:

1 x 1.4V $\overline{\text{---}}$ 1A(AA/AAA/C/D)
2 x 1.4V $\overline{\text{---}}$ 0.6A(AA/AAA/C/D)
3 x 1.4V $\overline{\text{---}}$ 0.4A(AA/AAA/C/D)
4 x 1.4V $\overline{\text{---}}$ 0.3A(AA/AAA/C/D)
1 x 9V $\overline{\text{---}}$ 0.07A(9V block)
2 x 9V $\overline{\text{---}}$ 0.04A(9V block)
Charging Time(Max): 22 h (1.2V Ni-MH/Cd)
10.5 h (9V Ni-MH/Cd)
Dimensions: 195 x 93 x 53.2mm / 7.68 x 3.66 x 2.09 in
Net Weight: 250 g / 0.55 lb

AVAILABLE COLORS

Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)			
	1pcs	2pcs	3pcs	4pcs
Ni-MH D 1000mAh	14h	22h	X	X
Ni-MH D 600mAh	8h	14h	21h	X
Ni-MH C 350mAh	4h	8h	12h	16h
Ni-MH AA 2500mAh	3h	5h	8h	10h
Ni-MH AA 2000mAh	2.5h	4h	6h	8h
Ni-MH AA 1500mAh	2h	3h	4.5h	6h
Ni-MH AAA 1100mAh	80min	2h	3.5h	4.5h
Ni-MH AAA 800mAh	60min	100min	2.5h	3h
Ni-MH AAA 600mAh	X	40min	50min	70min
Ni-MH 9V 200mAh	6hrs	6hrs	-	-

Battery Charger

BC-1046

Charges:

1-4 x AA

Ni-MH

1-4 x AAA

Ni-Cd



PACKAGING

Blister		
Plug:	EU	US
Weight(g)		
Dimensions W x H x D (mm)		
Inner Carton		
Packs / Inner ctn		
Net Weight(kg)		
Gross Weight(kg)		
Dimensions L x W x H (cm)		
Outer Carton		
Packs / Carton		
Net Weight(kg)		
Gross Weight(kg)		
Dimensions L x W x H (cm)		
Volume(cbm)		

MAIN FEATURES

- 4 Independent Charging Channels
- 5-Level Charge Protections
 - dV and 0dV Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-Voltage and Short-Circuit Protection
- Trickle Charge
- Easy-to-read LCD Display

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2.0A

Output:

2 x (1.4V $\overline{\text{---}}$ 1.0 A) for(1 & 4 slot)

2 x (1.4V $\overline{\text{---}}$ 0.5 A) for(2 & 3 slot)

Timer Control: 8 h

AVAILABLE COLORS

 Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
Ni-MH AA 2700 mAh		3.5 h
Ni-MH AA 2000 mAh		2.4 h
Ni-MH AA 1500 mAh		1.8 h
Ni-MH AAA 1000 mAh		2.4 h
Ni-MH AAA 900 mAh		2.2 h
Ni-MH AAA 800 mAh		2 h

BC-1002F

BC-1002T

Charges:

AA

Ni-MH

AAA

Ni-Cd



PACKAGING

Blister		
Plug:	/	
Weight(g)	196	
Dimensions W x H x D (mm)		
125 x 205 x 70		
Inner Carton		
Packs / Inner ctn	16	
Net Weight(kg)	3.14	
Gross Weight(kg)	3.68	
Dimensions L x W x H (cm)		
46 x 24.5 x 27		
Outer Carton		
Packs / Carton	32	
Net Weight(kg)	6.28	
Gross Weight(kg)	7.76	
Dimensions L x W x H (cm)		
51x 47 x 29		
Volume(cbm)		
0.0695		

BC1002F

MAIN FEATURES

- 4 Independent Charging Channels
- 5 levels of safety protection:
 - Δ V cut off
 - Safety Timer Control Protection(6hours)
 - Reverse Polarity Protection
 - Short Circuit Protection
 - Over-voltage protection
- Trickle Charging Function
- LED Charging Indicators

Red on	Charging
Green	Fully charged/Trickle
Red flashing	Defective or non-rechargeable batteries / short circuit

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1.0A

Output: 4 x (1.4V $\overline{\text{---}}$ 0.5A) AA

4 x (1.4V $\overline{\text{---}}$ 0.25A) AAA

BC1002T

MAIN FEATURES

- 2 Independent Charging Channels
- LED Charging Indicators
- 4 levels of safety protection:
 - Safety Timer Control Protection
 - Leakage Current Protection
 - Reverse Polarity Protection
 - Over Temperature Protection

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1.0A

Output: AA: 2 x (2.8 V $\overline{\text{---}}$ 0.2 A)

AAA: 2 x (2.8 V $\overline{\text{---}}$ 0.1 A)

Safety Timer Control: 15 h

AVAILABLE COLOR

 White

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-1002T	BC-1002F
Ni-MH AA 2500 mAh	15 h	6 h
Ni-MH AA 2000 mAh	14 h	5 h
Ni-MH AA 1500 mAh	11 h	3.5 h
Ni-MH AAA 1000 mAh	14 h	5 h
Ni-MH AAA 800 mAh	11 h	4 h
Ni-MH AAA 600 mAh	8 h	3 h

Battery Charger

LBC-305

Charges:

1-2 × 18650

Li-ion



USB-C Input



MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for flat-top and high top 18650 Li-ion Batteries
- Reverse Polarity Protection
- Overcharge Protection
- Short-circuit Protection
- LED Charging Indicators

Red	Charging
Green	Fully charged

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1A

Output: 3.7V $\overline{\text{---}}$ 0.5A

Caution: Specialized charger for 18650 Lithium-ion batteries

AVAILABLE COLORS

 Black

PACKAGING

Blister	
Plug:	/
Weight(g)	108
Dimensions W x H x D (mm)	95 x 176 x 64
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	0.84
Gross Weight(kg)	1.2
Dimensions L x W x H (cm)	48.6 x 18.1 x 10.5
Outer Carton	
Packs / Carton	40
Net Weight(kg)	3.36
Gross Weight(kg)	4.78
Dimensions L x W x H (cm)	49.6 x 37.8 x 23
Volume(cbm)	0.0431

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
18650 Lithium-ion	2600 mAh	6.5 h
18650 Lithium-ion	2200 mAh	5.5 h
18650 Lithium-ion	1800 mAh	4.5 h
18650 Lithium-ion	1500 mAh	4 h

LBC-316

Charges:

1-2 × 3.7V

Li-ion



MAIN FEATURES

- 2 Independent Charge Channels
- Suitable for Charging 1-2 pcs Li-ion Batteries
- Automatically selects charging current
- Abnormal Battery Detection
- Detect and activate deep discharged Batteries
- Multiple safety protections
- LED Charging Indicators

Red	Charging
Green	Fully charged
Red Flashing	<ul style="list-style-type: none"> • Defective batteries or Non-rechargeable battery • Reverse Polarity Protection or short-circuit Protection active

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2A

Output:

4.2 V $\overline{\text{---}}$ 0.5 A (The length of the battery \leq 55mm)

4.2 V $\overline{\text{---}}$ 1 A (The length of the battery \geq 57mm)

If input equals to 5V $\overline{\text{---}}$ 1A, the charging current will automatically switch to 0.5A

Suitable size of Lithium-ion batteries:

17335 - 26700

AVAILABLE COLOR

 Black

PACKAGING

Blister	
Plug:	/
Weight(g)	112
Dimensions W x H x D (mm)	94 x 165x 32
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	1.35
Gross Weight(kg)	1.6
Dimensions L x W x H (cm)	28x 20.5 x 10.5
Outer Carton	
Packs / Carton	48
Net Weight(kg)	5.4
Gross Weight(kg)	6.4
Dimensions L x W x H (cm)	43 x 28 x 15
Volume(cbm)	0.0309

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
26650 Li-ion	5000mAh	6 h
18650 Li-ion	2500mAh	3 h
18650 Li-ion	2000mAh	2.5 h
18500 Li-ion	1500mAh	3.5 h
17335 Li-ion	700mAh	100 min

Battery Charger

LBC-321

Charges:
1-4 ×
1.2V
3.2V
3.7V
3.85V



- Ni-MH**
- Ni-Cd**
- Li-Fe**
- Li-ion**



MAIN FEATURES

- 4 Independent Charging Channels
- Suitable for charging 1-4 pcs AA / AAA / Li-ion batteries
- Automatically identifies battery type
- Multiple safety protections
- Capable of activating 0 volt Batteries
- Four selectable charging currents
- Mobile power function
- LED Charging Indicators

SPECIFICATIONS

Input: USB-C 5V $\bar{\square}$ 2A
Output:
Battery Voltage:
 1.2V, 3.2V, 3.7V, 3.85V
Charging Current:
 1 PCS: 2.0A(4th Slot Only)
 2 PCS: 1.0A / 0.7A / 0.5A
 3 PCS: 0.7A / 0.5A
 4 PCS: 0.5A
Mobile Power Function:
 Output: 5V $\bar{\square}$ 1A (Request lithium battery at the 4th slot)

AVAILABLE COLOR

Black

PACKAGING


Blister	
Plug:	/
Weight(g)	155
Dimensions W x H x D (mm)	94 x 165 x 30
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	1.9
Gross Weight(kg)	2.1
Dimensions L x W x H (cm)	28 x 20.5 x 10.5
Outer Carton	
Packs / Carton	48
Net Weight(kg)	7.5
Gross Weight(kg)	8.6
Dimensions L x W x H (cm)	44 x 30 x 26
Volume(cbm)	0.0343

CHARGING TIMES When charging Current is 500mA

Battery Type	Battery Capacity	Charging Times (Appr.)
26650 Li-ion	5000mAh	12 h
18650 Li-ion	2500mAh	6 h
18650 Li-ion	2000mAh	5 h
18500 Li-ion	1500mAh	3.5 h
17335 Li-ion	700mAh	100 min
Ni-MHAA	2000mAh	5 h
Ni-MHAAA	1000mAh	2.5 h

LBC-322

Charges:
1-2 × 9V
Lithium Battery



MAIN FEATURES

- Convenient USB charging frees up outlets
- Dual independent charging channels
- Multiple levels of safety protections
- LED Charging Indicator
- Compact size

SPECIFICATIONS

Input: 5V $\bar{\square}$ 1A
Output: 8.4V $\bar{\square}$ 0.36A (1PC)
 8.4V $\bar{\square}$ 0.18A (2PCS)
Caution: Designed for 9V sized rechargeable Lithium batteries

AVAILABLE COLOR

Black

PACKAGING

Blister	
Plug:	/
Weight(g)	68
Dimensions W x H x D (mm)	105 x 135 x 36
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	0.75
Gross Weight(kg)	0.83
Dimensions L x W x H (cm)	25.5 x 16.5 x 11.5
Outer Carton	
Packs / Carton	96
Net Weight(kg)	6
Gross Weight(kg)	6.7
Dimensions L x W x H (cm)	52.5 x 34.5 x 25
Volume(cbm)	0.0679

Red	Charging
Green	Fully charged
Red Flashig	<ul style="list-style-type: none"> • Defective batteries or Non-rechargeable battery • Reverse Polarity Protection or Short Circuit Protection active

Battery Charging Table

Notes:

The following table is the cross reference of specific Camellion battery charger against the time it takes to recharge different batteries. To use this table, first locate the model of the Camellion charger you're using, then cross check with the battery's model to identify the charging time.

Camellion Model	BC-0907N	BC-0905A		BC-0905T	BC-1010B	BC-1020B	BC-1091	BC-1009	BC-0904SM	BC-0906SM	BC-0806T	BC-1057F		BC-1057T	BC-1058	BC-1043MC				BC-1046	BC-1002F	BC-1002T	LBC-305 L-Hon	LBC-316 L-Hon	LBC-321	LBC-322	
	DC In 12V 1.5A	2 cells	4 cells									1-2 cells	3-4 cells			1pcs	2pcs	3pcs	4pcs								
Timer Control	1.5h	3.5h	7.0h	10h	NA	NA	NA	NA	NA	NA	8h	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9V L-Batteries	
NiMH Batteries																											
NH-D2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h																	
NH-C2300	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h																	
NH-AA2700	80min	3h	6h	NA	17h	NA		23h	20h	14h	T/C 8h																
NH-AA2600	80min	3h	5.5h	NA	16h	NA		22h	20h	13h	T/C 8h			2h	4h	11h	9h	3h	5h	8h	10h						
NH-AA2500	80min	3h	5.5h	NA	16h	NA		22h	19h	13h																	
NH-AA2300	70min	3h	5.5h	T/C 10h	16h	NA		21h	18h	12h																	
NH-AA2200	70min	2.5h	5h	10h	15h	NA		20h	18h	12h																	
NH-AA2000	60min	2.5h	4.5h	9.5h	14h	NA		18h	17h	11h	T/C 8h					8h											
NH-AA1800	60min	2h	4.5h	9h	13h	NA		17h	16h	10h	6h				7h												
NH-AA1500	50min	2h	3.5h	8.5h	11h	NA		14h	14h	8h	6h			1.5h	3h	6h	6h	2h	3h	4.5h	6h						
NH-AAA1100	90min	2h	4h	T/C 10h	6h	NA		9h	19h	4.5h	T/C 8h			70min	2.5h	10h	4.5h	80min	2h	3.5h	4.5h						
NH-AAA1000	80min	2h	3.5h	T/C 10h	5.5h	NA		9h	17h	4.5h	T/C 8h																
NH-AAA900	80min	100min	3.5h	T/C 10h	5h	NA		8h	15h	4h	T/C 8h																
NH-AAA800	70min	100min	3h	9.5h	5h	NA		8h	14h	3.5h	T/C 8h			45min	1.5h	7h		60min	100min	2.5h	3h						
NH-AAA600	60min	70min	2.5h	6h	3.5h	NA		5h	11h	3h	6h			30min	1h	5h		x	40min	50min	70min						
NH-9V250	NA	NA	NA	NA	NA	NA		NA	NA	14h										NA	NA						
NH-9V200	NA	NA	NA	NA	NA	11h		10h	NA	11h									6h	6h	NA	NA					

Notes:

NA - Not Applicable.
T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not.
All the data is based on Camellion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.
This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty.
For information on specific Camellion products please visit our website at www.camellionbattery.com or contact us directly at info@camellionbattery.com.

Displays & Merchandiser

Display, Merchandiser and Promotional Accessorie

Promotional Accessory

Maximum Impact, Minimum Space, Optimal Sales

Impactful exposure for all your Camelion products.

For custom merchandising solutions please contact us at info@camelionbattery.com

	<p>MFD-01</p> <h3>Metal Floor Display</h3> <ul style="list-style-type: none"> • 36 hooks (18 cm each) that can hold 216-540 medium/large size packages • Add or remove metal racks depending on the products you wish to display • Made with steel and designed to be sturdy, ensuring a long-lasting lifespan • Easy assembly thanks to interlocking joints, no screws or hammers needed (instructions included) • 2 horizontal display areas for displaying large and/or heavy products • L x W x H: 60 x 35 x 170 cm 		<p>WCD-06</p> <h3>Metal Counter Display</h3> <ul style="list-style-type: none"> • Durable furnace-tested metal finish • 20 Racks (L=15 cm) • Simple and lightweight design • L x W x H: 35 x 35 x 160 cm <p>Qty for Each Hook:</p> <table border="1"> <tr> <td>AAA Size</td> <td>10 packs</td> </tr> <tr> <td>AA Size</td> <td>7 packs</td> </tr> <tr> <td>9V Size</td> <td>6 packs</td> </tr> <tr> <td>C Size</td> <td>5 packs</td> </tr> <tr> <td>D Size</td> <td>4 packs</td> </tr> </table>	AAA Size	10 packs	AA Size	7 packs	9V Size	6 packs	C Size	5 packs	D Size	4 packs
AAA Size	10 packs												
AA Size	7 packs												
9V Size	6 packs												
C Size	5 packs												
D Size	4 packs												

<p>WCD-02</p> 	<p>WCD-03</p> 	<p>WCD-05</p> 	<h3>Metal Counter Display</h3> <p>WCD-02 L x W x H: 33 x 22 x 43 cm (6 hooks)</p> <p>WCD-03 L x W x H: 33 x 22 x 58 cm (9 hooks)</p> <p>WCD-05 L x W x H: 44 x 20 x 66 cm (12 hooks)</p> <ul style="list-style-type: none"> • Made with steel to be strong and long-lasting • Lightweight for easy portability • Available in black 	 <h3>Metal Counter Display</h3> <p>Qty for each hook</p> <ul style="list-style-type: none"> AAA Size: 9 packs AA Size: 7 packs 9V Size: 5 packs C Size: 4 packs D Size: 3 packs <p>L x W x H: 20 x 30 x 65 cm</p> <ul style="list-style-type: none"> • Made with steel to be strong and long-lasting • Lightweight for easy portability • Available in black
---	---	---	---	--

<p>HW-04</p> 	<p>HW-05</p> 	<p>HW-06</p> 	<p>HW-07</p> 	<p>HW-04 12 Clear Plastic Hook Racks L x H: 7.5 x 62 cm</p> <p>HW-05 12 White Plastic Hook Racks L x H: 6.2 x 77.5 cm</p> <p>HW-06 12 Black Plastic Hook Racks L x H: 84 x 11.3 cm</p> <p>HW-07 12 Clear Plastic Hook Racks L x H: 84 x 11.3 cm</p>
---	---	---	---	---

	<p>DR-25</p> <h3>Aisle Display Box</h3> <p>This new display rack is designed to make items easier to reach. Displaying all the different batteries in your sales mix has never been simpler. The display box is easy to transport and easy to set up in stores and supermarkets.</p> <ul style="list-style-type: none"> • Display informative images • Clear branding • Light, durable materials • Easy to place and retrieve items • Clear messages • L x W x H: 34.4 x 28.5 x 155.6 cm 	 <h3>Aisle Display Box</h3> <p>Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations and trade shows. This portable display is lightweight and easy to set up for maximum retail exposure.</p> <ul style="list-style-type: none"> • Freestanding cardboard display has 20 trays, each tray is 9.5cm wide x 11.8cm high x 13cm deep • L x W x H: 41.5 x 32.5 x 138.2 cm <p>DR-06-SHD DR-06-A</p>
---	---	---

Display, Merchandiser and Promotional Accessory

DR-16



Aisle Display Box

Economical, corrugated cardboard retail display for larger package types, great for supermarkets, presentations and trade shows.

- Freestanding cardboard display box has 9 trays
- L x W x H: 54.8 x 38.4 x 117 cm

DR-17



Aisle Display Box

Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations, and trade shows. Designed to be lightweight, portable and easy to set up, making them the perfect solution for maximizing retail exposure.

- Freestanding cardboard display has 18 trays
- L x W x H: 34.5 x 42.4 x 143 cm

DR-13



Desktop Cardboard Display

This Desktop Cardboard Display is a great way to present products in stores, supermarkets, road shows and exhibitions. Easy to set up and transport, making it an ideal option when trying to maximize retail exposure.

- L x W x H: 30x20x50cm
- Display Options:
 - AA: 3 x 10 packs
 - AAA: 3 x 12 packs
 - C: 4 packs
 - D: 3 packs
 - 9V: 5 packs

DR-20



Button Cell Depot

Easily display Camelion Lithium CR series button cells, AG23, AG27, AA and AAA batteries all in a single desktop display.

Model	Quantity
CR-BP1	24pk
A23-BP1	12pk
A27-BP1	12pk

DR-21



Desktop Cardboard Display Stand

- Perfect on a shelf or at the checkout counter thanks to its compact size
- Mix and match hooks depending on the products you wish to display (hook length = 10 cm)
- L x W x H: 15 x 34.5 x 52.5 cm (stands at 75° angle)
- Elegant design: Economical and versatile
- Environmentally friendly and light: Made with paper materials

Five Options:



T228KC



Keychain Flashlight

It's not a battery, it's a Camelion keychain flashlight! A great, pocket-sized promotional item that can be taken anywhere and is also a fully functional flashlight.

Ball Pen PN-04R



Ball Pen PN-04B



T-06



Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt

T-10



Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt

C-03



Caps

Comfortable golf caps with one-size-fits-all design.

Display, Merchandiser and Promotional Accessorie


HB-04



Non-Woven Bag

- Material: Fiber
- L x W x H: 38 x 34 x 10 cm

HB-05



Plastic

- L x W x H: 30 x 38 x 6 cm

HB-09



Promotional Tote Bag

- Material: Fiber
- L x W x H: 38 x 34 x 12 cm

Battery Adapter

For Rechargeable & Non-Rechargeable Batteries



AA Battery + Adapter D or C Size

Warning:
When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.

Lithium Battery Case



Battery Case



Main Features

- Durable plastic case holds
- Keep your batteries together and safe.

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 25 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need.

Just try us out!



Camelion Battery Co., Ltd.

705, Cyber Times Tower A, Tian'an Cyber Park,
Shenzhen, Guangdong, China

Camelion Enterprises Ltd.

Block 8, 3/F, Sunray Industrial Centre,
610 Cha Kwo Ling Road , Kowloon, Hong Kong

For more information about Camelion, please visit www.camelionbattery.com

Camelion is a registered trademark of Camelion Battery Co., Ltd.
All other brand names are trademarks or registered trademarks of the respective companies.
Copyright ©2023 Camelion Battery Co., Ltd. All rights reserved.



www.camelionbattery.com

CA-B&C-2023