

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks to a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.

Product description

The THERMOMARK PRIME 2.0 is a combination of proven thermal transfer printing technology, an integrated MARKING system app, and an off-grid power supply with a replaceable battery. It was developed for both mobile and stationary use. Create identifications for conductors and cables, devices and systems as well as terminal identifications in a professional and efficient manner. The printer is suitable for printing all UCT, US, and UM card materials from the MARKING system portfolio. With the integrated marking software and the 7" multi-touch display with stand, operation is easy and saves you time when creating your marking solutions.

Your advantages

- Easy design of marking solutions on site, thanks to integrated marking software and 7" multi-touch display with stand. Additional control possible via the desktop marking software.
- Fully independent thanks to replaceable and rechargeable battery
- Material and ink ribbon can be changed easily in less than 10 seconds
- Automatic ink ribbon, magazine and material detection prevents printing errors
- Fast and high-quality printing of all card materials in under 8 seconds
- Easy handling of all status and error messages, as corresponding videos can be accessed and played directly via the touch display
- The 300 dpi print resolution is the absolute industry standard for all conventional applications and materials
- Efficient and maintenance-free operation with proven thermal transfer printing technology

Commercial data

Item number	1472410
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG1221
GTIN	4063151883911
Weight per piece (excluding packing)	7,751 g
Customs tariff number	84433210
Country of origin	DE

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Technical data

Product properties

Product type	Marking system
Scope of supply	THERMOMARK PRIME 2.0, power cable (pin connector pattern type B), USB cable, TMP-RIBBON 110 BK 100 ink ribbon cartridge (0803374), TMP-US-MAG1 magazine (0803341), TMP-UCT-MAG1 magazine (0803342), UCT-TM 6 marking material (0828736), US-EMLP (85,6X54) marking material (0828806), multilingual packing slip

Marking

Identification technology	Thermotransfer
---------------------------	----------------

Device properties

Print width	104 mm
Print resolution	300 dpi
Operating system	Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022

Electrical properties

Supply

Supply voltage range	100 V AC ... 240 V AC (50 Hz ... 60 Hz)
----------------------	---

Dimensions

Width	224 mm
Height	122 mm
Length	292 mm

Material specifications

Material Plastic signs	UCT
	US
	UM

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
---------------------------------	----------------

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1472410>



cULus Listed

Approval ID: UL-US-2416289-0

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Classifications

ECLASS

ECLASS-13.0	19140104
ECLASS-15.0	19140104

ETIM

ETIM 9.0	EC001684
----------	----------

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c), 7(a), 7(c)-I

China RoHS

Environment friendly use period (EFUP)	EFUP-10
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
-------------------------------------	----------------------

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

Accessories

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/us/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., roll length: 70 m, width: 110 mm



TMP-RIBBON 110 BK 101 - Ink ribbon cartridge

0803714

<https://www.phoenixcontact.com/us/products/0803714>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., roll length: 60 m, width: 110 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-RIBBON 110 BU 100 - Ink ribbon cartridge

0803378

<https://www.phoenixcontact.com/us/products/0803378>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., roll length: 60 m, width: 110 mm



TMP-RIBBON 110 GN 100 - Ink ribbon cartridge

0803380

<https://www.phoenixcontact.com/us/products/0803380>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., roll length: 60 m, width: 110 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer

1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-RIBBON 110 RD 100 - Ink ribbon cartridge

0803377

<https://www.phoenixcontact.com/us/products/0803377>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., roll length: 60 m, width: 110 mm



TMP-RIBBON 110 WH 100 - Ink ribbon cartridge

0803376

<https://www.phoenixcontact.com/us/products/0803376>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMT(B)..., US-EML(F)..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., US-PML..., roll length: 60 m, width: 110 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-RIBBON 110 YE 100 - Ink ribbon cartridge

0803379

<https://www.phoenixcontact.com/us/products/0803379>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., roll length: 60 m, width: 110 mm



TMP-US-MAG1 - Magazine

0803341

<https://www.phoenixcontact.com/us/products/0803341>

Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards, length: 0.166 m, width: 114 mm, height: 10 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG1 - Magazine

0803342

<https://www.phoenixcontact.com/us/products/0803342>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TM..., UCT1(U)-TM..., UCT5-TM..., UCT-EM (5x10), UCT-EM (6x10), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG2 - Magazine

0803343

<https://www.phoenixcontact.com/us/products/0803343>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TMF..., length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG3 - Magazine

0803344

<https://www.phoenixcontact.com/us/products/0803344>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMS..., length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG4 - Magazine

0803345

<https://www.phoenixcontact.com/us/products/0803345>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT1-TMF..., length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG5 - Magazine

0803347

<https://www.phoenixcontact.com/us/products/0803347>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT2-TM..., length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG6 - Magazine

0803348

<https://www.phoenixcontact.com/us/products/0803348>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT3-TM..., length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG7 - Magazine

0803349

<https://www.phoenixcontact.com/us/products/0803349>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMT..., UCT-EM (7x10), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG8 - Magazine

0803350

<https://www.phoenixcontact.com/us/products/0803350>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (20x7), UCT-EM (17,5x8), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG9 - Magazine

0803351

<https://www.phoenixcontact.com/us/products/0803351>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (12x3,3), UCT-EM (12x6), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG10 - Magazine

0803352

<https://www.phoenixcontact.com/us/products/0803352>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (30x5), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG11 - Magazine

0803353

<https://www.phoenixcontact.com/us/products/0803353>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (17x10), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG12 - Magazine

0803354

<https://www.phoenixcontact.com/us/products/0803354>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (10x8), UCT-EM (12x7), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG13 - Magazine

0803355

<https://www.phoenixcontact.com/us/products/0803355>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (10x5), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG14 - Magazine

0803356

<https://www.phoenixcontact.com/us/products/0803356>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (17x8), UCT-EM (21x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG15 - Magazine

0803357

<https://www.phoenixcontact.com/us/products/0803357>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (20x9), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG16 - Magazine

0803358

<https://www.phoenixcontact.com/us/products/0803358>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (17x9), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG17 - Magazine

0803360

<https://www.phoenixcontact.com/us/products/0803360>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (18x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG18 - Magazine

0803361

<https://www.phoenixcontact.com/us/products/0803361>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (17,5x7,5), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG19 - Magazine

0803363

<https://www.phoenixcontact.com/us/products/0803363>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (15x10), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG20 - Magazine

0803364

<https://www.phoenixcontact.com/us/products/0803364>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (10x7), UCT-WMTB (29x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG21 - Magazine

0803365

<https://www.phoenixcontact.com/us/products/0803365>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (20x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG22 - Magazine

0803366

<https://www.phoenixcontact.com/us/products/0803366>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (17,5x9), length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG23 - Magazine

0803367

<https://www.phoenixcontact.com/us/products/0803367>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT6M-TM..., length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UCT-MAG24 - Magazine

0803368

<https://www.phoenixcontact.com/us/products/0803368>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT6R-TM..., length: 0.166 m, width: 114 mm, height: 11.5 mm



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG25 - Magazine

0803369

<https://www.phoenixcontact.com/us/products/0803369>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMCO ... (12x4), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG26 - Magazine

0803370

<https://www.phoenixcontact.com/us/products/0803370>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EMP (25x6), UCT-EMP (29x8), UCT-EMP (40x17), UCT-EMP (60x15), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG27 - Magazine

0803371

<https://www.phoenixcontact.com/us/products/0803371>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMTBA (24x4), UCT-WMTBA (29x6), UCT-WMTBA (40x17), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG28 - Magazine

0803372

<https://www.phoenixcontact.com/us/products/0803372>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMCO ... (18x4), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG29 - Magazine

0803373

<https://www.phoenixcontact.com/us/products/0803373>



Magazine, for the THERMOMARK PRIME and THERMOMARK CARD printer, for accommodating UCT-WMCO ... (23xX), length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG31 - Magazine

1025505

<https://www.phoenixcontact.com/us/products/1025505>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EMNP (12.5x6), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG32 - Magazine

1082129

<https://www.phoenixcontact.com/us/products/1082129>



Magazine, for the THERMOMARK PRIME (2.0) and the THERMOMARK CARD (2.0), for accommodating UCT4-EMLP... and UCT4-EMP..., length: 0.166 m, width: 114 mm, height: 11.5 mm

TMP-UCT-MAG33 - Magazine

1082130

<https://www.phoenixcontact.com/us/products/1082130>



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (12x8), length: 0.166 m, width: 114 mm, height: 11.5 mm

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UCT-MAG34 - Magazine

1281799

<https://www.phoenixcontact.com/us/products/1281799>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD..., for accommodating UCT-TMC (30x8), length: 0.166 m, width: 114 mm, height: 11.5 mm



TMP-UM-MAG1 - Magazine

0831200

<https://www.phoenixcontact.com/us/products/0831200>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1-TM and UM5-TM)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UM-MAG2 - Magazine

0831201

<https://www.phoenixcontact.com/us/products/0831201>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM-TMF)



TMP-UM-MAG3 - Magazine

0831202

<https://www.phoenixcontact.com/us/products/0831202>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1-TMF)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UM-MAG4 - Magazine

0831203

<https://www.phoenixcontact.com/us/products/0831203>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1U-TM)



TMP-UM-MAG5 - Magazine

0803328

<https://www.phoenixcontact.com/us/products/0803328>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM2-TM)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UM-MAG6 - Magazine

0803329

<https://www.phoenixcontact.com/us/products/0803329>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM3-TM)



TMP-UM-MAG7 - Magazine

0803330

<https://www.phoenixcontact.com/us/products/0803330>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM6M-TM)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UM-MAG8 - Magazine

0803331

<https://www.phoenixcontact.com/us/products/0803331>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM6R-TM)



TMP-UM-MAG9 - Magazine

0803332

<https://www.phoenixcontact.com/us/products/0803332>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM8-TM)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP-UM-MAG10 - Magazine

0803334

<https://www.phoenixcontact.com/us/products/0803334>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM7-TM)



TMP-UM-MAG11 - Magazine

0803681

<https://www.phoenixcontact.com/us/products/0803681>

Magazine for the THERMOMARK CARD printer, for accommodating UM material UM7-TM (8x10)



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP/ACCU - Battery

0803668

<https://www.phoenixcontact.com/us/products/0803668>

Replacement battery for the THERMOMARK PRIME, NiMH 18 V DC, 2.1 Ah



TMP/EXT.POWER-SUPPLY 100-240V - Power supply unit

0803672

<https://www.phoenixcontact.com/us/products/0803672>

Replacement power supply for THERMOMARK PRIME, input voltage at 100 V AC to 240 V AC / 1.5 A / 50 Hz to 60 Hz, output voltage at 24 V DC / 4.16 A



THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP/CHARGER - Charger

0803670

<https://www.phoenixcontact.com/us/products/0803670>



Charging device for THERMOMARK PRIME rechargeable battery (TMP/ACCU), with reverse polarity protection and operating status display; operating voltage 10.8 V to 24 V

TMP/CHARGER CABLE VEHICLE 12V - Cable

0803671

<https://www.phoenixcontact.com/us/products/0803671>



Passenger vehicle cable for charging device (TMP/CHARGER); the power supply of the charging device comes directly from a 12 V passenger vehicle cigarette lighter (input voltage 11 V to 14 V); length 1.5 m

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP/ACCU COVER - Battery compartment cover

0803669

<https://www.phoenixcontact.com/us/products/0803669>



The battery compartment cover provides protection against dust and dirt deposits when starting up the THERMOMARK PRIME without the battery using the mains connection

CLEANING STICK - Cleaning pen

5146697

<https://www.phoenixcontact.com/us/products/5146697>



Cleaning stick for fast and efficient printhead cleaning of all Phoenix Contact thermal transfer printers.

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

TMP BAG - Transport bag

0803674

<https://www.phoenixcontact.com/us/products/0803674>



Transport bag for THERMOMARK PRIME including accessories, marking material, and consumables, unequipped

TMP CASE - Case

0803675

<https://www.phoenixcontact.com/us/products/0803675>



Transport case for the THERMOMARK PRIME including accessories, marking materials, and consumables. Rounded profile case with aluminum frame, unequipped

THERMOMARK PRIME 2.0 US - Thermal transfer printer



1472410

<https://www.phoenixcontact.com/us/products/1472410>

MOBILE BACKPACK - Transport bag

0803717

<https://www.phoenixcontact.com/us/products/0803717>



Transport rucksack for the THERMOMARK PRIME including accessories, marking material, and consumables, unequipped

MARKING SYSTEM SOFTWARE - Software

1669297

<https://www.phoenixcontact.com/us/products/1669297>



Create marking files easily and conveniently on your laptop or desktop PC. All Phoenix Contact marking systems as well as standard office printers can be controlled via the software. The software is available for download.

THERMOMARK PRIME 2.0 US - Thermal transfer printer




1472410

<https://www.phoenixcontact.com/us/products/1472410>

PROJECT COMPLETE - Software

1050453

<https://www.phoenixcontact.com/us/products/1050453>



Intuitive planning and marking software for configuring terminal strips and for professional marking of marking materials for terminal blocks, conductors, cables, devices, and systems. The software is available for download

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com